



5V0-21.20^{Q&As}

VMware Certified Master Specialist (HCI 2020)

Pass VMware 5V0-21.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-21-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator would like to put a vSAN host in an existing vSAN Cluster in maintenance mode. vMotion is configured and DRS is set to Fully Automated and all other advanced settings are their defaults.

The administrator uses this PowerCLI command:

```
Set-VMHost -VMHost "esxi-host01.corp.local" -State "Maintenance"
```

What is the default behavior?

- A. Virtual machines will be live migrated and all storage objects residing on this host will migrate to another host that is not in maintenance mode.
- B. Virtual machines will be live migrated to another host not in maintenance mode and storage objects will be migrated if it is required to be accessible.
- C. Virtual machines will be live migrated to another host not in maintenance mode and storage objects will not migrate regardless of policy and state.
- D. Virtual machines will not be live migrated to another host not in maintenance mode and storage objects will be migrated if it is required to be accessible.

Correct Answer: A

QUESTION 2

An architect is designing network high availability for a new vSAN Cluster. Which is a supported configuration for this design?

- A. Use LACP on the distributed switch with a route based on IP hash algorithm.
- B. Create multiple VMkernel adapters on the same subnet for vSAN.
- C. Configure multicast to use two separate network interfaces for vSAN traffic.
- D. Create an additional TCP/IP stack within the cluster and specify vSAN type.

Correct Answer: C

QUESTION 3

A failed storage controller has two vSAN disk groups attached. The components contained on the drives in those disk groups are marked Degraded. vSAN reports that some objects do not comply with their assigned storage policy. How is the compliance issue resolved?

- A. Initiate a proactive rebalance to force component repairs.
- B. Degraded components are repaired after CLOM Repair Delay Timer expires.
- C. Rebuilding of the degraded components starts immediately.



D. Storage policies must be reapplied to all affected objects.

Correct Answer: C

QUESTION 4

Which Kubernetes information is exposed in the vSphere Client to help a vSAN administrator filter Container Volumes based on their usage?

- A. Pod name
- B. StatefulSet
- C. Labels
- D. StorageClass

Correct Answer: D

QUESTION 5

The Cloud Native Storage control plane in vSphere allows an administrator to provision storage directly from which cloud technology?

- A. Kubernetes Clusters
- B. vRealize Automation
- C. Docker nodes
- D. AWS EC2 instances

Correct Answer: A

[5V0-21.20 Practice Test](#)

[5V0-21.20 Study Guide](#)

[5V0-21.20 Braindumps](#)