



5V0-21.21^{Q&As}

VMware HCI Master Specialist Dumps

Pass VMware 5V0-21.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-21-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer has upgraded to vSAN 7, but there is still an existing legacy host which must be removed from the vSAN cluster.

Which three steps must an administrator take to successfully remove this host from the vSAN cluster? (Choose three.)

- A. Place the host in maintenance mode with Ensure Accessibility
- B. Disconnect from vCenter Server
- C. Place the host in maintenance mode with Full Data migration
- D. Place the host in maintenance mode with no data migration
- E. Remove from vSAN cluster
- F. Delete the disk group(s) on the legacy host

Correct Answer: CEF

Reference: <http://www.vexpertconsultancy.com/2019/06/step-by-step-remove-a-node-permanently-from-avsan-cluster/>

QUESTION 2

An administrator is tasked with preparing for a Cross vCenter migration in a stretched vSAN cluster where the virtual machines migration will be orchestrated via VMware Site Recovery Manager.

Which action should the administrator take so the migration is successful?

- A. Disable vSAN Deduplication and Compression
- B. Reconfigure vCenter HA Admission control
- C. Enable vCenter Single Sign-On Enhanced Linked Mode
- D. Make sure that Witness traffic is on the management NIC.

Correct Answer: C

Reference: <https://docs.vmware.com/en/Site-Recovery-Manager/8.4/com.vmware.srm.admin.doc/GUIDB64096E8-F49A-4BF6-92CE-05FBA972F3C0.html>

QUESTION 3

After a vSAN Witness Appliance network configuration, the vSAN administrator notices that vSAN traffic flows from vmk0 (Management Traffic) rather than vmk1 (vSAN Traffic).

Which step should be taken to resolve this issue?

- A. Configure vmk0 with IP address on the same range as that of vmk1.



- B. Tag the vmk0 for vSAN traffic.
- C. Configure vmk1 with IP address on the different network than that of vmk0.
- D. Tag the vmk1 for Witness traffic.

Correct Answer: A

If both vmk0 and vmk1 are configured on the same range, a multihoming condition will occur and vSAN traffic will flow from vmk0, rather than vmk1.

Reference: <http://www.vmwarearena.com/vsan-stretched-cluster-how-to-configure-vsan-witnessappliance/>

QUESTION 4

An architect needs to automate an infrastructure that supports VMware Horizon as well as VMware Tanzu. Which solution mandates the use of VMware vSAN?

- A. VMware Cloud Foundation
- B. VMware Horizon
- C. VMware Tanzu
- D. VMware vRealize Automation

Correct Answer: D

Reference: <https://www.vmware.com/products/vrealize-automation.html>

QUESTION 5

An administrator wants to deploy Kubernetes on an end-to-end VMware stack, using VMware vSAN for storage.

Which VMware product should the administrator install as the Kubernetes platform choice?

- A. VMware Tanzu Kubernetes Grid
- B. VMware Tanzu Data services
- C. VMware Tanzu Build service
- D. VMware Tanzu Mission Control

Correct Answer: A

Reference: <https://blogs.vmware.com/vov/2020/04/03/vmware-its-tanzu-kubernetes-grid-on-vsan/>