

# 5V0-21.21<sup>Q&As</sup>

VMware HCI Master Specialist Dumps

# Pass VMware 5V0-21.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/5v0-21-21.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





### **QUESTION 1**

A customer is planning to migrate their physical Microsoft SQL Server clustered workloads to vSAN enabled vSphere clusters.

The following requirements must be met:

Each MSSQL cluster is made up of 3 nodes Highest possible availability against node failures Some of the vSAN clusters will only consume storage

What should the architect recommend?

- A. vSAN iSCSI Target Service
- B. Stretched vSAN Cluster
- C. vSAN Direct
- D. vSAN File Services

Correct Answer: A

Reference: https://kb.vmware.com/s/article/2147661

### **QUESTION 2**

A 4-node vSAN cluster is configured with an erasure coding storage policy. The Ensure Accessibility maintenance mode was selected. While performing the maintenance, a second node fails.

What will be the impact on the vSAN cluster?

- A. There will be no impact on performance.
- B. The VMs will no longer be accessible.
- C. The performance will be degraded.
- D. The VMs will be in a suspended state.

Correct Answer: A

Reference: https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.virtualsan.doc/GUID521EA4BC-E411-47D4-899A-5E0264469866.html

#### **QUESTION 3**

An administrator is tasked with preparing for a Cross vCenter migration in a stretched vSAN cluster where the virtual machines migration will be orchestrated via VMware Site Recovery Manager.

Which action should the administrator take so the migration is successful?



- A. Disable vSAN Deduplication and Compression
- B. Reconfigure vCenter HA Admission control
- C. Enable vCenter Single Sign-On Enhanced Linked Mode
- D. Make sure that Witness traffic is on the management NIC.

```
Correct Answer: C
```

Reference: https://docs.vmware.com/en/Site-Recovery-Manager/8.4/com.vmware.srm.admin.doc/GUIDB64096E8-F49A-4BF6-92CE-05FBA972F3C0.html

## **QUESTION 4**

After a vSAN Witness Appliance network configuration, the vSAN administrator notices that vSAN traffic flows from vmk0 (Management Traffic) rather than vmk1 (vSAN Traffic).

Which step should be taken to resolve this issue?

- A. Configure vmk0 with IP address on the same range as that of vmk1.
- B. Tag the vmk0 for vSAN traffic.
- C. Configure vmk1 with IP address on the different network than that of vmk0.
- D. Tag the vmk1 for Witness traffic.

Correct Answer: A

If both vmk0 and vmk1 are configured on the same range, a multihoming condition will occur and vSAN traffic will flow from vmk0, rather than vmk1.

Reference: http://www.vmwarearena.com/vsan-stretched-cluster-how-to-configure-vsan-witnessappliance/

#### **QUESTION 5**

In a stretched vSAN cluster, how is Read Locality established after fail over to the secondary site?

- A. 100% of the reads comes from vSAN hosts on the local site
- B. 50% of the reads comes from vSAN hosts on the local site
- C. 100% of the reads comes from vSAN hosts on the remote site
- D. 50% of the reads comes from vSAN hosts on the remote site

Correct Answer: A

Reference: https://www.vmware.com/files/pdf/products/vsan/vmware-virtual-san-6.1-stretched-clusterguide.pdf (45)



Latest 5V0-21.21 Dumps

5V0-21.21 PDF Dumps

5V0-21.21 VCE Dumps