



# 5V0-23.20<sup>Q&As</sup>

VMware vSphere with Tanzu Specialist

## Pass VMware 5V0-23.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-23-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

How is information found about all Kubernetes Persistent Volumes in a vSphere environment?

- A. Navigating to the Cloud Native Storage view in vCenter Server
- B. Using: `kubectl get persistentvolumes`
- C. Accessing the FCD folder on a Datastore
- D. Using: `esxcli storage cloud native get`

Correct Answer: A

---

### QUESTION 2

Which vSphere with Tanzu Workload Network topology provides Layer 2 isolation between Tanzu Kubernetes clusters across namespaces when vSphereDistributed Switches are used?

- A. A dedicated Primary Workload Network for the Supervisor Cluster control plane VMs and separate Workload Networks for each namespace A dedicated Primary
- B. Workload Network for the Supervisor Cluster control plane VMs and a single Workload Network for namespaces
- C. A single Workload Network for the Supervisor Cluster control plane VMs and Tanzu Kubernetes clusters
- D. Distributed firewall rules to isolate namespaces

Correct Answer: A

---

### QUESTION 3

A user needs to identify the namespaces that may be accessed.

Which command will provide the desired output?

- A. `kubectl get storageclasses`
- B. `kubectl config use-context`
- C. `kubectl config get-contexts`
- D. `kubectl get contexts`

Correct Answer: A

---

### QUESTION 4

The network topology for a Supervisor Cluster deployed using the vSphere networking stack, and a HAProxy load



balancer is being planned. In addition to the control plane management IP range and services P range, how many non-overlapping P address ranges are needed?

- A. 3
- B. 1
- C. 4
- D. 2

Correct Answer: B

#### QUESTION 5

An administrator working in a vSphere with Tanzu environment wants to ensure that all persistent volumes configured by developers within a namespace are placed on a defined subset of datastores The administrator has applied tags to the required datastores in the vSphere Client

Which action should the administrator take next to meet the requirement?

- A. Create a storage policy containing the tagged datastores. and apply it to the vSphere Namespace.
- B. Create a storage class containing the tagged datastores. and apply it to the Supervisor Cluster
- C. Create a persistent volume claim containing the tagged datastores, and apply it to the vSphere Namespace.
- D. Create a storage Policy containing the tagged datastores. and apply it to the Supervisor Cluster.

Correct Answer: A

[5V0-23.20 VCE Dumps](#)

[5V0-23.20 Study Guide](#)

[5V0-23.20 Exam Questions](#)