

5V0-31.20^{Q&As}

VMware Cloud Foundation Specialist

Pass VMware 5V0-31.20 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/5v0-31-20.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/5v0-31-20.html

2024 Latest geekcert 5V0-31.20 PDF and VCE dumps Download

QUESTION 1

Which two statements regarding MTU size should be considered prior to executing a deployment of VMware Cloud Foundation? (Choose two.)

- A. MTU of 1600 is a minimum for TFP VLANs
- B. MTU of 1500 is a minimum for TEP VLANs
- C. MTU of 9000is a minimum for all non-managementVLANs
- D. MTU of 9000 is recommended for all non-management VLANs
- E. MTU of 1500 is recommended for all non-management VLANs

Correct Answer: AE

QUESTION 2

An Enhanced Linked Mode of vCenter Server is being used to easily log in to every vCenter Server instance How many vCenter Server instances in a single vCenter Single Sign-On domain are supported?

- A. 15
- B. 16
- C. 7
- D. 8

Correct Answer: A

QUESTION 3

An administrator is tasked with preparing the hosts for a new VMware Cloud Foundation environment. The new environment will be installed in a facility far away from the administrator, and the hosts must be reachable remotely as soon as they are cable and powered-on in the rack. To reduce cost the new hosts do not have out of band management.

Which two steps should the administrator take to prepare for this deployment? (Choose two.)

- A. Configure UEFI support in the host BIOS
- B. Download the ESXi ISO and VIBs
- C. Create a Cluster Image profile
- D. Configure the VMware Imaging Appliance service.
- E. Validate MTU of 1600 is set on Management VLAN.



https://www.geekcert.com/5v0-31-20.html

2024 Latest geekcert 5V0-31.20 PDF and VCE dumps Download

Correct Answer: CD

QUESTION 4

For which VLAN must a DHCP server be configured prior to performing the VMware Cloud Foundation bring up process?

- A. NSX-TEdge Overlay
- B. Management
- C. NSX-T host Overlay
- D. NSX-T Host

Correct Answer: C

QUESTION 5

The VMware Cloud Foundation management domain has been deployed, and post- deployment tasks can now be completed. The administrator needs to configure Single Sign-On for VMware Cloud Foundation

user authentication.

Which two authentication sources can be used to accomplish this task? (Choose two)

- A. Novell Directory Services
- B. RADIUS
- C. OpenLDAP
- D. Active Directory
- E. Apache DS

Correct Answer: CD

<u>Latest 5V0-31.20 Dumps</u> <u>5V0-31.20 Practice Test</u> <u>5V0-31.20 Braindumps</u>