



# 5V0-33.19<sup>Q&As</sup>

VMware Cloud on AWS - Master Services Competency Specialist Exam  
2019

**Pass VMware 5V0-33.19 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-33-19.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which two statements describe the standard single-site topology for VMware Cloud on AWS DRaaS?

(Choose two.)

- A. Multiple remote sites that could be configured each to recover to individual VMware Cloud on AWS SDDCs.
- B. Multiple remote sites that could be configured each to recover to a single shared VMware Cloud on AWS SDDC.
- C. A single shared remote site that could be configured to recover to multiple shared VMware Cloud on AWS SDDCs.
- D. A single remote site that could be configured to recover to a single VMware Cloud on AWS SDDC.
- E. A single shared VMware Cloud on AWS SDDC that could be configured to recover to multiple VMware Cloud on AWS SDDCs.

Correct Answer: BE

---

### QUESTION 2

What are three primary use cases for HCX with VMware Cloud on AWS? (Choose three.)

- A. Bulk migration
- B. Layer 2 extension
- C. Container orchestration
- D. Operating system upgrades
- E. Replication-Assisted vMotion
- F. OVF deployment

Correct Answer: ABE

Reference: <https://aws.amazon.com/blogs/apn/migrating-workloads-to-vmware-cloud-on-aws-with-hybridcloud-extension-hcx/>

---

### QUESTION 3

Which two virtual devices are appropriate for virtual machine migration with HCX into VMware Cloud on AWS? (Choose two.)

- A. VMDK Disks
- B. Virtual RDMs
- C. SR-IOV Devices



D. Shared VMDKs

E. Mounted CD images

Correct Answer: AC

References: <https://docs.vmware.com/en/VMware-HCX/services/hcx-user-guide.pdf>

[https://www.usenix.org/legacy/event/wiov08/tech/full\\_papers/dong/dong\\_html/index.html](https://www.usenix.org/legacy/event/wiov08/tech/full_papers/dong/dong_html/index.html)

#### QUESTION 4

A customer wishes to deploy a new application on VMware Cloud on AWS. This application will consist of several web servers and application servers. The data on the application services needs to be backed up regularly and backups must be stored outside the SDDC to meet compliance. The backup solution should be able to support full VMDK restores as well as file restores. A recovery time objective (RTO) of 5 hours is required for backups up to 30 days old. After 30 days, the RTO of a backup is 48 hours.

Which solution will meet the requirements more efficiently?

A. Deploy a third-party backup solution from a supported VMware ISV partner. Store backup jobs to Amazon Simple Storage Service (S3) or an Elastic Compute Cloud (EC2) instance with an attached EBS drive. After 30 days, migrate backups from S3 or EBS to Amazon Glacier.

B. Deploy a third-party backup solution from a supported VMware ISV partner. Store backup jobs to the local on-premises SDDC, and once the backups reach 30 days old, transfer these backups to tape libraries.

C. Deploy two SDDCs in two separate regions. Set up Site Recovery between the two SDDCs and configure vSphere Replication to take snapshots of the virtual machines every 15 minutes.

D. Deploy an SDDC cluster in stretched mode expanding across two availability zones in the same region. This configuration provides the lowest RTO possible.

Correct Answer: A

Reference: [https://d0.awsstatic.com/whitepapers/Backup\\_and\\_Recovery\\_Approaches\\_Using\\_AWS.pdf](https://d0.awsstatic.com/whitepapers/Backup_and_Recovery_Approaches_Using_AWS.pdf)

#### QUESTION 5

A site pairing was manually broken.

Which step must be used to re-establish the pairing?

A. Create a new mapping

B. Configure a new site pair

C. Reconfigure the site pair

D. Refresh the site pair

Correct Answer: B

You cannot use the Reconfigure Site Pair action to add a missing pairing or a pairing that was manually broken with



Break Site Pair. If your site pair is missing a pairing, you must use New Site Pair to configure it.

Reference: [https://docs.vmware.com/en/Site-Recovery-Manager/8.1/com.vmware.srm.install\\_config.doc/GUID-7C839753-BD05-4336-A4B3-ECA556BC0D94.html](https://docs.vmware.com/en/Site-Recovery-Manager/8.1/com.vmware.srm.install_config.doc/GUID-7C839753-BD05-4336-A4B3-ECA556BC0D94.html)

[Latest 5V0-33.19 Dumps](#)

[5V0-33.19 PDF Dumps](#)

[5V0-33.19 Braindumps](#)