



# 5V0-41.20<sup>Q&As</sup>

VMware SD-WAN Troubleshoot

**Pass VMware 5V0-41.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-41-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






## QUESTION 1

Scenario 2:

After completing the branch activation for all required branches, the network administrator attempts to test connectivity between the various branches and between hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the some applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



A technician has added Edges to an East Coast Profile. These Edges are not able to communicate via dynamic tunnels to Edges in the West\_Coast profile. The technician has noticed that some Edges are able to establish dynamic tunnels.

What could be preventing Edges from being able to establish dynamic tunnels?

- A. The profiles are not configured to allow dynamic branch to branch VPNs.
- B. The profiles are configured to only allow dynamic branch to branch for Edges within the same profile.
- C. None of the existing profiles have Cloud VPN enabled thus preventing dynamic tunnels.
- D. Neither profile has been configured to utilize cloud gateways.

Correct Answer: B




**QUESTION 2**

Scenario 3:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present- The network administrator is informed (hat during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Which metrics can a network administrator verify in the QoE screen to determine the overall health of Underlay and Overlay?

- A. Jitter Packet Loss, Speed.
- B. Jitter, Packet Loss, Latency.
- C. Jitter, Speed, Latency.
- D. Packet Loss, Latency, Speed.

Correct Answer: B

**QUESTION 3**


Scenario 3:

After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and



users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Users at the Dallas Branch are complaining that downloads/uploads from Office365 are slow. Working in Teams has been providing slow responses. The Internet circuit is 100Mbps while the MPLS Circuit is 45Mbps. Upon troubleshooting, the network administrator has noticed the traffic is Backhauling through the Seattle hub for all internet traffic.

How should the network administrator resolve the issue?

- A. Leave the system as is, the gateways will resolve the issues after doing 15 minutes of link qualification.
- B. Advertise public routes to Office365 and Teams through the New York Hub.
- C. Leave the system as is, the hubs will auto-rebalance tunnels after doing 15 minutes of link qualification.
- D. Prevent the hub from advertising a default route.

Correct Answer: B

#### QUESTION 4


Scenario 1:

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for



reference. For each site, the administrator is having issues bringing edges online, as another administrator has gone ahead and created a configuration ahead of time. The organization has several branch sites. One is an Internet-only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Exhibit.



Interface Settings								
Actions		Interface	Mode	VLANs	Addressing	WAN Overlay	Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN1	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN2	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN3	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN4	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN5	Trunk	1 - Corporate 10 - UserSeg 20 - VoiceSeg 30 - GuestSeg			Global Segment Global Segment Global Segment Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN6	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN7	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN8	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	GE1			Static IPv4: 10.0.0.1/24 Gateway: 192.0.2.1	User Defined	all segments <input checked="" type="checkbox"/>	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	GE2			DHCP	User Defined	all segments <input checked="" type="checkbox"/>	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	SFP1			DHCP	Auto Detect	all segments <input checked="" type="checkbox"/>	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	SFP2			DHCP	Auto Detect	all segments <input checked="" type="checkbox"/>	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	WLAN1	WiFi	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	WLAN2	Interface disabled					

WAN Settings				
Type	Name	Interfaces	Link Type	Priority
User Defined	INET	GE1	Public Wired	<input checked="" type="checkbox"/>
User Defined	MPLS	GE2	Private Wired	<input checked="" type="checkbox"/>

The network administrator determines the issue preventing the Dallas Branch from coming online.

Refer to the Exhibit(s).



What must the administrator do for the Edge to communicate with the Orchestrator and other branches?

- A. Reverse the WAN Overlay configurations
- B. Update the Orchestrator to the latest version as it enables "Auto WAN Swapping"
- C. Delete the User Defined WAN Overlays as the Orchestrator will discover these automatically on MPLS and Internet
- D. Create a User-defined WAN Overlay to bond both interfaces


Correct Answer: A

**QUESTION 5**

Scenario 3:

After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



A network administrator wants to achieve better high-availability and network reconvergence between LAN-side BGP Networks and the hub Edges in New York.

What must the administrator do?

- A. Modify the Keep Alive and Hold timers to the lowest possible values ensuring the Hold timer is 3 times more than the Keep Alive timer.



- B. Nothing, the system will auto-rebalance connections and will provide sub-second convergence.
- C. Modify the Connect and Hold timers to the lowest possible values ensuring the Hold timer is 3 times more than the Connect timer.
- D. Modify the Keep Alive and Hold timers to the lowest possible values ensuring the Keep Alive timer is 3 times more than the Hold timer.

Correct Answer: B

[Latest 5V0-41.20 Dumps](#)

[5V0-41.20 VCE Dumps](#)

[5V0-41.20 Exam Questions](#)