5V0-41.20 Q&As

VMware SD-WAN Troubleshoot

Pass VMware 5V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/5v0-41-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

Scenario 2:

After completing the branch activation activities for ail required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being cert configurations have been complete. The administrator also observed that several reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



A network administrator has been told that Dallas needs some high-availability in the event that the SDWAINJ Edge goes offline for whatever reason. There is limited budget so the administrator must use the other available CE router as a fallback mechanism. The administrator will use VRRP to provide HA. When configuring VRRP, the SD-WAN Edge service restarted.

What caused this behavior?

A. The administrator failed to specify the Edge Type as a VeloCloud Cluster.

B. This is an expected behavior.

C. The device is faulty and will need a replacement.

D. The administrator failed to specify the Edge Type as a VeloCloud Active Standby Pair.

Correct Answer: B

QUESTION 2

Scenario 2:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



A network administrator has configured a Business Policy to send a specific application directly out an underlay interface. Users have complained of slow responses for that application. While troubleshooting, the network administrator finds the traffic is actually taking an overlay path to another SD-WAN Edge.

What is causing this behavior?

A. The other Edge location is advertising a secure route for the application\\'s subnet.

B. uI has been configured forcing traffic into the underlay towards the hub.

C. Configuring Business Policy Direct settings have no affect on traffic flows.

D. Internet Backha.

E. The underlay path is not available forcing traffic into the overlay.

Correct Answer: E

QUESTION 3

Scenario 3:

After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected lo.

Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Users are complaining that web pages to certain web sites are very slow to load and at times unresponsive. The network administrator has verified that the traffic is going correctly out the underlay.

What should the administrator check next?

A. Verify if Path-MTU Discovery is disabled.

B. Verify if there is latency, loss, or jitter on the underlay.

C. Verify the Business Policy flows are matching.

D. Verify if routes to Gateways are present in the Overlay Flow Control (OFC).

Correct Answer: A

QUESTION 4

Scenario 2:

After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



A network administrator decides to deploy a local Checkpoint VNF appliance on the Edge in London to cut back on unnecessary traffic towards the NY Hub location. While attempting to deploy the VNF, the process keeps failing.

Where can the administrator check to see more detail?

A. VCO > Monitor > Logging

B. VCO > Monitor > Events

C. VCO > Test and Troubleshoot > Remote Diagnostics > Events

D. VCO > Test and Troubleshoot > Remote Actions > Alerts

Correct Answer: B

QUESTION 5

Scenario 3:

After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



A network administrator is receiving complaints that a real-time voice application is not performing well, with choppy audio, and dead audio especially during peak traffic times.

What two actions can the administrator take to diagnose and fix the issue? (Choose two.)

A. Configure a QoS policy to rate limit all traffic during peak times.

B. Ensure that the realtime application is matching the correct application type using the diagnostics page.

C. Check the status of the links using the QoE and Transport tabs for any degraded underlay issues or congestion issues.

D. Configure a QoS policy to load balance the realtime traffic across all links.

Correct Answer: AC

Latest 5V0-41.20 Dumps 5V0-41.20 Practice Test 5V0-41.20 Braindumps