



# 5V0-41.20<sup>Q&As</sup>

VMware SD-WAN Troubleshoot

**Pass VMware 5V0-41.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-41-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






## QUESTION 1

Scenario 2:

After completing the branch activation for all required branches, the network administrator attempts to test connectivity between the various branches and between hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the some applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



A technician has added Edges to an East Coast Profile. These Edges are not able to communicate via dynamic tunnels to Edges in the West\_Coast profile. The technician has noticed that some Edges are able to establish dynamic tunnels.

What could be preventing Edges from being able to establish dynamic tunnels?

- A. The profiles are not configured to allow dynamic branch to branch VPNs.
- B. The profiles are configured to only allow dynamic branch to branch for Edges within the same profile.
- C. None of the existing profiles have Cloud VPN enabled thus preventing dynamic tunnels.
- D. Neither profile has been configured to utilize cloud gateways.

Correct Answer: B




## QUESTION 2

Scenario 3:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Users at a remote office are complaining about poor performance with certain applications. The network administrator has already verified the configuration is correct.

Which two parameters should the administrator review to troubleshoot this issue? (Choose two.)

- A. Check the underlay network (bandwidth, latency, jitter, packet loss)
- B. Change the bandwidth measurement under WAN Overlay Advanced Settings
- C. Check the flows to verify which Business Policy the traffic of interest is matching
- D. Look under Monitor, check Business priority tab

Correct Answer: AD


## QUESTION 3

Scenario 2:



After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



The tunnel from spoke to hub is not coming up. What are the two possible reasons? (Choose two.)

- A. Spoke Edge and hub Edge are two different Edge models.
- B. Spoke Edge and hub Edge have a mismatch certificate authentication mode.
- C. Hub WAN Interface might be behind the NAT Device or firewall.
- D. Dynamic Branch to Branch is not enabled.

Correct Answer: BC

#### QUESTION 4


Scenario 3:

After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.





Exhibit.



The network administrator determines that dynamic routes to SD-WAN sites are missing at the San Jose branch router. The network administrator decides to look into the configurations of hub Edges. All SD-WAN branch sites must use a hub to communicate with the San Jose site. Best practices have been implemented at these SD-WAN sites.

Where should the administrator check first to verify if the configuration is correct?

- A. Verify that the NVS feature is enabled in Cloud VPN.
- B. Verify that redistribution between the primary hub site and San Jose is enabled.
- C. Verify the static routes to San Jose from all Branches are configured.
- D. Verify that redistribution at the Dallas Hybrid Site is enabled for San Jose to use as a peering point.


Correct Answer: C

### QUESTION 5

Scenario 1:

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for reference. For each site, the administrator is having issues bringing edges online, as another administrator has gone ahead and created a configuration ahead of time. The organization has several branch sites. One is an Internet-only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Exhibit.



Interface Settings								
Actions		Interface	Mode	VLANs	Addressing	WAN Overlay	Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN1	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN2	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN3	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN4	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN5	Trunk	1 - Corporate 10 - UserSeg 20 - VoiceSeg 30 - GuestSeg			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN6	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN7	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	LAN8	Access	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	GE1			Static G0/1: 10.0.0.2/24 G0/2: 192.0.2.1	User Defined	all segments	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	GE2			DHCP	User Defined	all segments	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	SFP1			DHCP	Auto Detect	all segments	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	SFP2			DHCP	Auto Detect	all segments	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	WLAN1	WiFi	1 - Corporate			Global Segment	
<a href="#">Edit</a>	<input checked="" type="checkbox"/>	WLAN2	Interface disabled.					

WAN Settings				
Type	Name	Interfaces	Link Type	Alerts
User Defined	INET	GE1	Public Wired	<input checked="" type="checkbox"/>
User Defined	MPLS	GE2	Private Wired	<input checked="" type="checkbox"/>

The network administrator determines the issue preventing the Dallas Branch from coming online.

Refer to the Exhibit(s).

What must the administrator do for the Edge to communicate with the Orchestrator and other branches?

- A. Reverse the WAN Overlay configurations
- B. Update the Orchestrator to the latest version as it enables "Auto WAN Swapping"
- C. Delete the User Defined WAN Overlays as the Orchestrator will discover these automatically on MPLS and Internet



D. Create a User-defined WAN Overlay to bond both interfaces

Correct Answer: A

[5V0-41.20 VCE Dumps](#)

[5V0-41.20 Practice Test](#)

[5V0-41.20 Braindumps](#)