



5V0-42.21^{Q&As}

VMware SD-WAN Design and Deploy Skills

Pass VMware 5V0-42.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-42-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What Is a typical use case for the deployment of a VMware SU-WAN Partner Gateway?

- A. Provide connectivity between multiple enterprise customers over private circuits
- B. Get improved flow analytics for all traffic in the SD-WAN network
- C. Interconnect branches/remote sites of a single enterprise customer to the internet
- D. Provide mite transport m a service provider backbone tor interconnecting a global customer SD- WAN branches.

Correct Answer: D

QUESTION 2

An Enterprise customer just acquired a new company, and the Network Enterprise administrator was tasked to integrate over 20 new branches into their existing SD-WAN network. However, these branches have overlapping IPs with the existing branches subnets.

- A. Configure a NAT hand off rule at the VMware SD WAN gateway assigned to these new blanches, translating the new branch subnets into a new nan-overlapping subnet
- B. Configure a LAN-side NAT rule at the branch device settings, translating its subnets into a new non-overlapping subnet
- C. Configure a NAT firewall rule in each branch, translating its subnets into a new non-overlapping subnet
- D. Configure a policy based NAT tor each branch translating its subnets Into a new non-overlapping subnet

Correct Answer: B

QUESTION 3

During a security-related discussion, an administrator determines that guest users not be able to access any resources on the corporate network.

Which VMware SD-WAN feature can achieve this goal in the most scalable and manageable way?

- A. Segments
- B. Business Policy
- C. VLANs
- D. Firewall

Correct Answer: A

**QUESTION 4**

A customer has a hybrid VMware SD-WAN deployment and wants to use the SD-WAN Service Reachable feature on the private WAN.

What is the main dependency that must be met for the feature to work?

- A. Internet reachability via the private WAN
- B. Gateway IPs must be routed in the overlay
- C. Default route learned via dynamic routing
- D. Static route for gateway IPs on the edge

Correct Answer: C

QUESTION 5

A customer would like to ensure that the traffic towards the Partner Gateway does not exceed a certain bandwidth.

Which feature should be used?

- A. Modify the SD WAN Traffic Class and Weight Mapping
- B. Enable the SD-WAN Overlay Rate-Limit.
- C. Change the application priority to low.
- D. Enable the rate limit under a new custom Business Policy Rule.

Correct Answer: C

[Latest 5V0-42.21 Dumps](#)

[5V0-42.21 PDF Dumps](#)

[5V0-42.21 Study Guide](#)