



# 5V0-42.21<sup>Q&As</sup>

VMware SD-WAN Design and Deploy Skills

## Pass VMware 5V0-42.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-42-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which feature is required to prevent a split-brain condition for a branch in an Enhanced HA

- A. Split Brain Detection
- B. SD-WAN Service Reachable on the private overlay
- C. Cloud VPN
- D. VRRP

Correct Answer: B

---

#### QUESTION 2

Which statement describes a characteristic of VMware SD-WAN Edge (VCL) clustering?

- A. One VCE cluster can be formed with both virtual and hardware at the same time
- B. A VCE cluster requires one dedicated interface for HA sync
- C. VCF clusters member sync flow tables between themselves.
- D. VCE cluster members should have unique IP addresses on its WAN interfaces

Correct Answer: C

---

#### QUESTION 3

Which deployment model ensures that management and control plane is cloud-delivered while data continues to flow on-premises between VMware SD-WAN nodes that remain on-premises?

- A. Hosted SD-WAN Orchestrator/Controller
- B. On-premises SD-WAN Orchestrator/Controller
- C. Partially on-premises
- D. All on-premises

Correct Answer: D

---

#### QUESTION 4

A service provider needs to ensure that the NOC is notified proactively in the event that an Edge interface loses connectivity to its WAN provider.



---

Which three methods are available for generating these alerts? (Choose three.)

- A. Slack notification
- B. Text/SMS
- C. Push notification via the VMware SD WAN mobile app
- D. SNMP Trap
- E. Webhook
- F. Dying Gasp

Correct Answer: BCF

---

#### QUESTION 5

A service provider assigns two Partner Gateways to a VMware SD-WAN Edge. Which description is correct about default route.

- A. A default route 0.0.0.0/0 can be configured as a static route and set to NAT only on the Gateway
- B. If default route 0.0.0.0/0 has been configured for both Gateways, internet traffic originated from the Edge can failover to the other Gateway in case of a Gateway failure.
- C. When handoff is turned off on a Partner Gateway, the Gateway does not advertise a default route 0.0.0.0/0 to the Edge.
- D. The service provider administrator decides whether the Partner Gateway advertises a default route 0.0.0.0/0 or not, although it is advertised by default.

Correct Answer: A

[Latest 5V0-42.21 Dumps](#)

[5V0-42.21 VCE Dumps](#)

[5V0-42.21 Practice Test](#)