



600-210^{Q&As}

Implementing Cisco Service Provider Mobility UMTS Networks

Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/600-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Drag the Diameter result code on the left to its matching description on the right.	
2001	Diameter AVP is unsupported.
3003	Diameter authentication is rejected.
4001	Diameter request is processed successfully.
5001	Diameter realm is not recognized.

Select and Place:

Drag the Diameter result code on the left to its matching description on the right.	
2001	Diameter AVP is unsupported.
3003	Diameter authentication is rejected.
4001	Diameter request is processed successfully.
5001	Diameter realm is not recognized.

Correct Answer:

Drag the Diameter result code on the left to its matching description on the right.	
	5001
	4001
	2001
	3003

QUESTION 2

Which option lists the contents of the flow label in a GTPv0 header?

- A. IMSI and NSAPI
- B. MSISDN and NSAPI
- C. IMEI and NSAPI
- D. IMSI and Transaction Identifier
- E. IMEI and Transaction Identifier

Correct Answer: A



QUESTION 3

Which option describes the ICAP protocol?

- A. ICAP is a protocol designed to enable inter-device communications for different vendor systems to share information about subscribers in a common format. ICAP allows for subscriber session control for actions such as session disconnect and suspension.
- B. ICAP is a protocol designed to enable subscribers to communicate in a peer-to-peer network for file sharing purposes and is often used to circumvent upstream content filtering.
- C. ICAP is a communication access package consisting of a mixed platform of services such as web, FTP, and authentication. ICAP is used to minimize the deployment footprint and expedite new offerings for Internet service providers.
- D. ICAP is a protocol designed to support dynamic content filtering, insertion, and modification of web pages. ICAP allows interaction with external content servers such as parental control (content filtering) servers to provide content filtering service support.

Correct Answer: D

QUESTION 4

Which two options are functions of the Diameter base protocol? (Choose two.)

- A. offline billing
- B. policy control
- C. transporting CDRs
- D. streaming
- E. retrieving PDP context information

Correct Answer: AB

QUESTION 5

Which description of a smurf attack is true?

- A. A smurf attack is an attack in which small TCP packets are sent toward a server from thousands of subscribers, which causes the server network buffer to overflow and drop packets and results in a denial of service.
- B. A smurf attack is an attack in which the attacker sends ICMP echo request packets using a spoofed source IP address destined to remote network broadcast addresses, which results in all recipients replying back to the spoofed source IP address in an attempt to cause a denial of service to the targeted spoofed IP address.



C. A smurf attack is an attack in which the attacker sends UDP echo packets using a spoofed source IP address destined to remote network broadcast addresses, which results in all recipients replying back to the spoofed source IP address in an attempt to cause a denial of service to the targeted spoofed IP address.

D. A smurf attack is an attack in which the attacker attempts to change the TCP MSS value to a small value for all TCP flows destined to the target device, which results in many small packets having to be processed by the target, which causes buffer overflows and denial of service.

Correct Answer: B

[600-210 PDF Dumps](#)

[600-210 VCE Dumps](#)

[600-210 Practice Test](#)