



# 600-210<sup>Q&As</sup>

Implementing Cisco Service Provider Mobility UMTS Networks

## Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/600-210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

Drag and arrange the steps on the left in the correct order on the right that indicates how DPC+ SSN based routing in SGSN is performed on the Cisco ASR 5000.

SS7 routing domain from the SCCP network is picked and point code in the SS7 RD is available	First
SCCP network in the map-service	Second
SSN service state is in-service in the SCCP network	Third
DPC in the SCCP network is accessible	Fourth

Select and Place:

Drag and arrange the steps on the left in the correct order on the right that indicates how DPC+ SSN based routing in SGSN is performed on the Cisco ASR 5000.

SS7 routing domain from the SCCP network is picked and point code in the SS7 RD is available	First
SCCP network in the map-service	Second
SSN service state is in-service in the SCCP network	Third
DPC in the SCCP network is accessible	Fourth

Correct Answer:

Drag and arrange the steps on the left in the correct order on the right that indicates how DPC+ SSN based routing in SGSN is performed on the Cisco ASR 5000.

	SCCP network in the map service
	SS7 routing domain from the SCCP network is picked and point code in the SS7 RD is available
	DPC in the SCCP network is accessible
	SSN service state is in-service in the SCCP network

**QUESTION 2**

Which version of GTP supports piggybacking of GTP messages?

- A. GTPv0
- B. Gn-prime



C. GTPv1

D. GTPv2

E. GTPv1-prime

Correct Answer: D

---

### QUESTION 3

Which node is configured with a Network Mode of Operation value of 1 to be able to support combined attach and routing area update procedures?

A. RNC

B. GGSN

C. S4-SGSN

D. SIM

E. HLR

Correct Answer: A

---

### QUESTION 4

Which option describes the message that establishes the direct tunnel between RNC and GGSN?

A. SGSN context request/response and modify PDP context request/response

B. SGSN: Initiated update PDP context request/response and RAB assignment request/response

C. GGSN: Initiated update PDP context request/response and RAB assignment request/response

D. SGSN: Initiated update PDP context request/response and modify PDP context request/response

Correct Answer: B

---

### QUESTION 5

Into which state does a UE in a GPRS network move after the ready timer expires?

A. idle state



- B. detached state
- C. suspended state
- D. ready state
- E. standby state

Correct Answer: E

[Latest 600-210 Dumps](#)

[600-210 Exam Questions](#)

[600-210 Braindumps](#)