



600-212^{Q&As}

Implementing Cisco Service Provider Mobility LTE Networks

Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/600-212.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In the offline charging architecture, which path protocol and registered port number help to transport the CDRs from the CDFs to the CGF over the Ga reference point?

- A. UDP src.port and dest.port as 2123
- B. UDP src.port random and dest.port as 3386
- C. TCP src.port and dest.port as 3386
- D. UDP src.port random and dest.port as 2123

Correct Answer: B

QUESTION 2

A subscriber is moving from LTE to GERAN/UTRAN and the SGSN is Release 7 3GPP. Which two statements about this situation are true? (Choose two.)

- A. The SGW has a GTPv2 tunnel towards SGSN
- B. The PGW has a GTPv2 tunnel towards SGSN
- C. The PGW has a GTPv1 tunnel on the S8 interface toward the SGW.
- D. The PGW has a GTPv2 tunnel on the S8 interface toward the SGW.

Correct Answer: AD

QUESTION 3

Exhibit:



```
[local]LTE# show sgw-service all
Service name           : SGW-SVC
Service-Id             : 17
Context                : EPC
Accounting context     : EPC
Accounting gtp group   : default
Accounting mode        : gtp
Accounting stop-trigger : Default
Status                 : STARTED
Egress protocol        : gtp
Ingress EGTP service   : Ingress-SGW
Egress context         : EPC
Egress EGTP service    : Egress-SGW
Egress MAG service     : n/a
IMS auth. service      : S11-SVC
Accounting policy      : MME-SGW
Newcall policy         : n/a
QCI-QOS mapping table  : n/a
Event Reporting        : Disabled
DDN Throttling         : Disabled
Page UE for PGW initiated proc: Disabled

PLMN ID List           : MCC: 123, MNC: 456 [Primary]
```

Refer to the exhibit. Which interface is associated to reference point between the MME and the SGW?

- A. EPC
- B. Ingress-SGW
- C. Egress-SGW
- D. MME-SVC
- E. S11-SVC

Correct Answer: B

QUESTION 4

Exhibit:



Context Gi-Context-1

```
apn pgw-test
  selection-mode subscribed
  ip address pool name pgw-pool-1
  authentication msisdn-auth
  apn-ambr rate-limit direction downlink burst-size auto-readjust duration 1 violate-action drop
  apn-ambr rate-limit direction uplink burst-size auto-readjust duration 1 violate-action drop
  ip context-name Gi-Context-2
  mediation-device no-interims delay-GTP-response
#exit

aaa group radius-1
  radius accounting deadline 1
  radius accounting max-retries 0
  radius accounting max-transmissions 4
  radius attribute nas-ip-address address 192.168.58.198
  radius attribute nas-identifier DN680-NGME-1
  no radius accounting archive
  radius dictionary 3gpp
  radius server 10.24.59.75 key cisco1 port 1812
  radius accounting server 10.24.59.75 encrypted key 01abd002c82b4a2c port 1813
#exit

aaa group radius-2
  radius accounting deadline 4
  radius accounting max-retries 2
  radius accounting max-transmissions 5
  radius attribute nas-ip-address address 192.168.58.198
  radius attribute nas-identifier DN680-NGME-1
  no radius accounting archive
  radius dictionary 3gpp
  radius server 10.24.59.76 key cisco1 port 1812
  radius mediation-device accounting server 10.24.59.76 encrypted key 01abd002c82b4a2c port 1813
#exit
```

Context Gi-Context-2

```
aaa group radius-3
  radius attribute nas-ip-address address 191.167.57.190
  radius server 10.0.133.10 key cisco1 port 1812
  radius accounting server 10.0.133.10 encrypted key 01abd002c82b4a2c port 1813
#exit

aaa group radius-4
  radius attribute nas-ip-address address 191.167.57.191
  radius server 10.0.133.11 key cisco1 port 1812
  radius mediation-device accounting server 10.0.133.11 encrypted key 01abd002c82b4a2c port 1813
#exit
```

Refer to the exhibit. Which aaa group must be associated with the APN pgw-test?

- A. radius-2
- B. radius-1
- C. radius-4
- D. radius-3

Correct Answer: B

QUESTION 5

Which option describes the function of ENUM in Voice over LTE?

- A. It converts SIP URI to Telco URI.
- B. It is used for the call forwarding service.



C. It assigns a telephone number to an IMS UE.

D. It generates a query in the e164.arpa domain.

Correct Answer: D

[Latest 600-212 Dumps](#)

[600-212 Practice Test](#)

[600-212 Study Guide](#)