



# 600-511<sup>Q&As</sup>

Designing with Cisco Network Programmability for ACI

## Pass Cisco 600-511 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/600-511.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two ACI features assist with application service-level assurance? (Choose two.)

- A. tenant health scores
- B. Layer 4 to Layer 7 service integration
- C. Cisco APIC database sharding
- D. fabric health scores
- E. QoS

Correct Answer: AD

---

### QUESTION 2

The use of the Cisco Bi-Di 40G transceiver provides cost effective transition to a 40G ACI fabric through transmission over which cabling plant?

- A. Category 6a copper
- B. single pair of OM3/OM4 MM fiber
- C. single pair of SM fiber
- D. Twinax copper

Correct Answer: B

---

### QUESTION 3

Which two options are benefits of the ACI fabric beyond forwarding traffic from physical and virtual servers? (Choose two.)

- A. zero-touch provisioning of fabric switches
- B. centralized control plane
- C. decoupling of underlay and overlay
- D. applying policy independently of forwarding
- E. increased performance due to full-mesh topology

Correct Answer: AD

---

### QUESTION 4



Which network devices should be connected to the spine?

- A. Cisco APIC controllers
- B. leaf devices
- C. leaf and spine devices
- D. centralized security and load-balancing services for the fabric

Correct Answer: B

---

#### QUESTION 5

Which statement about OpenStack and ACI is true?

- A. Integration can leverage a Cisco APIC plug-in or a Group Policy plug-in.
- B. The Nova ML2 plug-in maps APIs into the ACI policy model.
- C. The Cisco APIC driver communicates northbound using the OpFlex plug-in.
- D. The Cisco APIC driver is used in place of an OVS driver to communicate to the virtual machine managers.

Correct Answer: A

[Latest 600-511 Dumps](#)

[600-511 PDF Dumps](#)

[600-511 Braindumps](#)