

# 600-511<sup>Q&As</sup>

Designing with Cisco Network Programmability for ACI

# Pass Cisco 600-511 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/600-511.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.geekcert.com/600-511.html

### 2024 Latest geekcert 600-511 PDF and VCE dumps Download

#### **QUESTION 1**

Which three options are three primary functions of ACI fabric spine switches? (Choose three.)

- A. proxy database
- B. multidestination tree root
- C. distributed default gateway
- D. Layer 3 IP fabric underlay
- E. spanning-tree root
- F. OSPF DR

Correct Answer: ABD

#### **QUESTION 2**

Before you design an ACI fabric, it is important to understand existing application interactions. If you do not understand them entirely, which approach can you use?

- A. Design a classic routing configuration in which everybody can talk to anybody as the equivalent to a contract called "anyany" that all EPGs provide and consume.
- B. Design around the Cisco ACI whitelist model using the common tenant, where, by default, two EPGs can communicate to each other in the absence of a contract.
- C. Map each EPG to familiar constructs such as VLANs that provide segmentation and will apply policy application interactions.
- D. Leverage advanced orchestration tools like Cisco Intelligent Automation for Cloud or Cisco UCS Director to document existing application interactions.

Correct Answer: A

#### **QUESTION 3**

Which type of ACI switch provides Layer 3 connections to outside networks?

- A. border leaf devices
- B. leaf devices
- C. spine devices
- D. service leaf devices

Correct Answer: A

### https://www.geekcert.com/600-511.html 2024 Latest geekcert 600-511 PDF and VCE dumps Download

#### **QUESTION 4**

Which three types of interface are supported on border leaf switches to connect to an external router? (Choose three.)

- A. Layer 3 interface
- B. subinterface with 802.1Q tagging
- C. backup interface
- D. switched virtual interface
- E. management interface
- F. point-to-point interface

Correct Answer: ABD

#### **QUESTION 5**

Which three options are the major components of the ACI fabric? (Choose three.)

- A. bidirectional optics
- B. Application Policy Infrastructure Controller
- C. spine switches
- D. directory service nodes
- E. leaf switches
- F. Layer 4 to Layer 7 service devices

Correct Answer: BCE

Latest 600-511 Dumps

600-511 PDF Dumps

600-511 Practice Test