



6103^{Q&As}

Avaya ERS 8000 and Avaya VSP 9000 Implementation Exam

Pass Avaya 6103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/6103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer is concerned about the security of their network. They need to understand the OSPF authentication options when accepting route updates in OSPF. Currently, their Virtual Services Platform (VSP) 9000 is configured to require no authentication when receiving the OSPF updates.

Which two supported authentication types would provide security on the VSP 9000 for OSPF updates? (Choose two.)

- A. MD5
- B. 3DES
- C. RADIUS
- D. Simple Password

Correct Answer: AD

QUESTION 2

Which multicast technology, used with the Virtual Services Platform (VSP) 9000, allows the router to determine whether any group members exist on its directly connected networks and switches?

- A. IGAP
- B. IGMP
- C. DVMRP
- D. PIM-SM

Correct Answer: B

QUESTION 3

In a VSP 9000 chassis, which command is used to see the information on the installed software?

- A. show software
- B. show sys installed
- C. show sys software
- D. show sys boot

Correct Answer: C

QUESTION 4



Refer to the exhibit.

```
47.160.128.215 - PuTTY
EFS8600#1:5# show vlan info basic

-----
Vlan Basic
-----
VLAN
ID      NAME      TYPE      STG      ID  PROTOCOLID  SUBNETADDR  SUBNETM
-----
1       Default    byPort    1        none      N/A         N/A
10      mgmt       byPort    1        none      N/A         N/A
50      VLAN-50    byProtocolId 1  appleTalk  N/A         N/A

All 3 out of 3 Total Num of Vlans displayed
EFS8600#1:5#

47.160.128.215 - PuTTY
EFS8600#1:5# show vlan info port

-----
Vlan Port
-----
VLAN PORT
ID      MEMBER      ACTIVE MEMBER      STATIC MEMBER      NOT_ALLOW MEMBER
-----
1       1/1-1/34,3/1-3/3, 1/1-1/34,3/1-3/3,
4/5-4/6      4/5-4/6
10      4/1-4/4,4/7      4/1-4/4,4/7
50      1/1-1/34,3/1-3/3,
4/1-4/48
```

After checking the VLAN configuration using the show vlan info basic, and the show vlan info port commands, there are no ACTIVE MEMBER ports for VLAN-50. What is causing this problem?

- A. The ports have not been configured as active for this VLAN.
- B. AppleTalk Protocol VLANs do not have ACTIVE MEMBERS.
- C. The default setting for this type of VLAN is potential.
- D. There are no devices connected to these ports.

Correct Answer: A

QUESTION 5

Where can someone find the upgrade prerequisites and new features for a particular software release?

- A. Avaya website



B. Code version release notes

C. Avaya representative

D. Avaya sales portal

Correct Answer: A

[6103 Practice Test](#)

[6103 Study Guide](#)

[6103 Exam Questions](#)