



6103^{Q&As}

Avaya ERS 8000 and Avaya VSP 9000 Implementation Exam

Pass Avaya 6103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/6103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which function does the "RS" module for the ERS 8000 provide that the "R" module does not?

- A. multiple port mirroring
- B. multiple port cloning
- C. SMLT functionality
- D. extended port monitoring

Correct Answer: C

QUESTION 2

A technician is implementing a new network that contains eight Ethernet Routing Switch (ERS) 8000 switches, and also uses advanced features. One of the eight switches will run Shortest Path Bridging.

Which two licenses are needed in this situation? (Choose two.)

- A. one advanced feature license for seven ERS 8000 chassis
- B. one Premier license using for the one needing SPB support
- C. one advanced feature license for the network
- D. one premier feature license for the network
- E. one site license per ERS 8600

Correct Answer: BC

QUESTION 3

Refer to the exhibit.



```
VSP-9012:1#flight-recorder all 1
Processing Flight-recorder snapshot for 1 ...

Flight-recorder snapshot for slot 1 complete,
20111019114431.1.bin.gz.

Processing Flight-recorder trace for 1 ....

Flight-recorder trace for slot 1 complete, fi.
0111019114434.1.txt.

Processing Flight-recorder archive for slot 1

Flight-recorder archive for slot 1 complete, :
hive.20111019114446.1.tar.
```

While troubleshooting your VSP 9000 system, you run the command flight-recorder all

1. The associated files are created.

Based on the information in the exhibit, where are the associated files stored?

- A. Internal flash
- B. TFTP Server
- C. External flash
- D. USB Flash device

Correct Answer: A

QUESTION 4

Using Enterprise Device Manager, the technician opens the ERS 8000 switch and sees that there are five ports showing with an orange light.

What does the orange light indicate?

- A. The Ports have no link.
- B. The Ports are in standby mode.
- C. The Ports are being tested.
- D. The Ports are manually disabled.

Correct Answer: B



QUESTION 5

Which statement describes a characteristic of Routed Split Multilink Trunking (RSMLT) configuration?

- A. RSMLT is only configured on edge SMLT connections.
- B. RSMLT uses priority values to distinguish between the primary and backup routers.
- C. RSMLT routers are implemented with the VRF-Lite routers.
- D. RSMLT is always used in conjunction with routing protocols and SMLT connections.

Correct Answer: D

[Latest 6103 Dumps](#)

[6103 VCE Dumps](#)

[6103 Study Guide](#)