



6202^{Q&As}

Avaya Aura(TM) Contact Center Implementation Exam

Pass Avaya 6202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/6202.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three operating systems are supported for a Contact Center Manager Application (CCMA) client installation?(Choose three)

- A. Windows 2000 Professional
- B. Windows XP Professional SP2 or later
- C. Windows Vista Business SP1 (32-bit)
- D. Windows Vista Basic
- E. Windows 7

Correct Answer: BCE

QUESTION 2

A customer is deploying Security Framework with single sign on (SSO) functionality As a part of the configuration, it is necessary to login to the Security Framework web tool-UCM.

Which user can access and configure the Configuration window

- A. admin
- B. sysadmin
- C. webadmin
- D. local server administrator

Correct Answer: A

QUESTION 3

You are preparing to connect the hardware for the Contact Center Manager (CCMS) in a dual-network interface card (NIC) configuration. Which statement describes the dependency that must be considered?

- A. Ensure that NetBIOS on both of the NICs is enabled
- B. The ELAN subnet card comes first in the binding order
- C. The Contact Center Server subnet card comes first in the binding order
- D. If the server has more than two NICs, ensure that all NICs are enabled and all have IP addresses assigned to them

Correct Answer: C

**QUESTION 4**

When preparing a server platform operating system with 8 GB of RAM and 500 GB of hard drive space for Contact Center Manager Server (CCMS) XXXX will how you configure the server's Virtual Memory settings?

- A. Set the Virtual Memory to equal one-half of the physical memory
- B. Set the Virtual Memory to equal the physical memory
- C. Set the Virtual Memory to equal two times the physical memory
- D. Let the Operating System manage the Virtual Memory

Correct Answer: A

QUESTION 5

In a customer's Local Area Network, some segments in the network do not allow multicast for transmitting data.

When configuring the Contact Center Manager Administration (CCMA) using the RTR Registry Settings (Real-Time Reporting), how can network bandwidth usage be limited?

- A. In the Output Rate box, type the maximum number of simultaneous outputs that the server is directed to allow
- B. In the Output Rate box, type the minimum number of simultaneous outputs that the server is directed to allow
- C. In the Unicast Sessions box, type the maximum number of simultaneous unicast sessions that the server is directed to allow
- D. In the Minimum Unicast Sessions box, type the minimum number of simultaneous unicast sessions that the server is directed to allow

Correct Answer: C

[Latest 6202 Dumps](#)

[6202 PDF Dumps](#)

[6202 Exam Questions](#)