



# 640-722<sup>Q&As</sup>

Implementing Cisco Unified Wireless Networking Essentials v2.0

## Pass Cisco 640-722 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/640-722.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The administrator needs to create a report that shows all controllers, APs, and Cisco 3300 Series MSEs in the WLAN, including hardware and software information. Which report includes this information?

- A. Device > Inventory
- B. Mesh > Nodes
- C. Network Summary > Executive Summary
- D. Network Summary > 802.11 Summary

Correct Answer: A

In the left sidebar menu, all of the inventory report options are listed. These reports are generated based on the data already stored in the WCS database. Because inventory reports are not on-demand reports, some configuration changes may have occurred since the storage and may not duplicate the attributes of the controller that are reflected in the stored data. The choices are as follows:

Access Point Inventory Report -- Provides data on deployed access points. The data that is returned includes but is not limited to the following: the access points\' MAC address, model, location, and radio status.

Combined Inventory Report -- Provides data on all deployed controllers, access points, and location appliances.

Controller Inventory Report -- Provides data on deployed controllers. The data that is returned includes but is not limited to the following: the model, IP address, and serial number of the controller, what software version it is running, and where it is located. Location Server Inventory Report -- Provides data on deployed location appliances. The data that is returned includes but is not limited to the following: the IP address and version of the location appliance, which port is being used, and the time the appliance starts up.

Reference:

<http://www.cisco.com/c/en/us/td/docs/wireless/wcs/4-1/configuration/guide/wcscfg41/wcsreps.html#wp1080212>

---

### QUESTION 2

What two capabilities would be present on a wireless client device that supports CCXv3? (Choose two.)

- A. WPA2
- B. 802.1x
- C. PEAP-MSCHAP
- D. NAC
- E. MFP
- F. EAP-TLS

Correct Answer: AB

---



---

### QUESTION 3

Which two formats are available for Cisco WCS reports? (Choose two.)

- A. PDF
- B. CSV
- C. HTML
- D. TXT

Correct Answer: AB

Reports are saved in either CSV or PDF format and are either saved to a file on WCS for later download or e-mailed to a specific e-mail address.

Reference: [http://www.cisco.com/c/en/us/td/docs/wireless/wcs/7-0/configuration/guide/WCS70cg/7\\_0reps.html](http://www.cisco.com/c/en/us/td/docs/wireless/wcs/7-0/configuration/guide/WCS70cg/7_0reps.html).

---

### QUESTION 4

Which three AP modes of operation allow for the wIPS sub mode? (Choose three.)

- A. local mode
- B. bridge mode
- C. monitor mode
- D. H-REAP mode
- E. rogue detector mode
- F. SE-Connect mode
- G. sniffer mode

Correct Answer: ACD

Only Cisco Aironet 1130, 1140, 1240, 1250, 3502E and 3502I Series Access Points support wIPS monitor mode.

The wIPS sub mode is supported only when access point mode is Monitor, Local or HREAP. But for 1130 and 1240 access points, wIPS is supported only in Monitor Mode. Reference: [http://www.cisco.com/c/en/us/td/docs/wireless/mse/3350/7-0MR1/wIPS/configuration/guide/wIPS\\_70MR1/msecg7x\\_ch6\\_wIPS.html](http://www.cisco.com/c/en/us/td/docs/wireless/mse/3350/7-0MR1/wIPS/configuration/guide/wIPS_70MR1/msecg7x_ch6_wIPS.html)

---

### QUESTION 5

DRAG DROP Cisco WLCs running version 7.0 can be enabled for CleanAir functionality by using an AQI rating from 1 to 100. Event-driven RRM can take immediate action on AQI levels based on three sensitivity thresholds (Low, Medium, High), which are configurable in the web-based GUI. The network administrator must understand what AQI value is set using these sensitivity thresholds in version 7.0. Drag the AQI values on the left and drop them on the threshold name they belong to on the right.



Select and Place:

20	Low
35	Medium
40	High
45	
50	
60	
70	

Correct Answer:

20	35
	50
40	60
45	
70	

[640-722 Practice Test](#)

[640-722 Study Guide](#)

[640-722 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.  
You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 <b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 <b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.