VCE & PDF
GeekCert.com

640-722^{Q&As}

Implementing Cisco Unified Wireless Networking Essentials v2.0

Pass Cisco 640-722 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/640-722.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

What is the IEEE name for a group of access points that are connected by using the Ethernet?

A. ESS

B. BSS

C. IBSS

D. ISS

Correct Answer: A

The wired section of the network that can be reached through the AP is called, from the perspective of the wireless side, the Distribution System (DS). When the distribution system links two APs, or two cells, via Ethernet, the group is called an Extended Service Set (ESS).

Reference: CCNA Wireless (640-722 IUWNE) Quick Reference Guide page 5

QUESTION 2

An engineer is troubleshooting why wireless clients have not been able to connect to the network. Where would an engineer verify the total number of excluded clients in the last day?

A. Security > Miscellaneous

B. Security > Rogues

C. Alarms

D. Events

E. Clients > Troubleshoot

F. Access Points

Correct Answer: A

QUESTION 3

To mitigate DoS attacks on a network, what security method should be implemented?

A. WEP

B. 802.1x

C. Non-broadcast SSID

D. Client MFP

Correct Answer: D

QUESTION 4

You have an Apple IOS iPhone4 that is used on your home Wi-Fi network and a personal laptop that is used on your work\\'s enterprise wireless network. At your office, you are unable to see the enterprise wireless network on your iPhone4. What is the most likely cause of this issue?

A. WPA2 CPU intensive encryption is not supported on the client.

B. WPA2 must be enabled on the client.

C. A new profile must be created on the client.

D. Wi-Fi must be enabled on the client.

E. The enterprise is 2.4 GHz only.

F. The enterprise is 5 GHz only.

G. The RF channel must be adjusted on the client.

Correct Answer: F

The iPhone4 only supports 2.4 Ghz wireless. 5 Ghz wireless support was added with the iPhone5.

QUESTION 5

When a wireless client is authenticated in a controller-based wireless network, which three pieces of source identification information can be used by the controller for an Access-Request message that is sent to an external RADIUS server? (Choose three.)

A. wireless client IP address

B. controller IP address

C. AP IP address

D. wireless client MAC address

E. controller MAC address

F. AP MAC address

Correct Answer: BEF

From the Call Station ID Type drop-down list, choose IP Address, System MAC Address, or AP MAC Address to specify whether the IP address, system MAC address, or AP MAC address of the originator will be sent to the RADIUS server in the Access-Request message.

Reference:
http://www.cisco.com/c/en/us/td/docs/wireless/controller/7-0/configuration/guide/c70/c70sol.html#wp1389032 (Step 3)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: