VCE & PDF
GeekCert.com

640-878^{Q&As}

Building Cisco Service Provider Next-Generation Network

Pass Cisco 640-878 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/640-878.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Refer to the configuration example exhibit.

```
S1(config)# interface f0/1
S1(config-if)# switchport access vlan 118
S1(config-if)# switchport mode dot1q-tunnel
S1(config-if)# interface f0/3
S1(config-if)#switchport access vlan 209
S1(config-if)# switchport mode dot1q-tunnel
```

Which statement is true?

A. A trunk port has been created and VLAN has been allowed.

B. An access port has been created on a UNI.

C. A customer VLAN of 209 is configured.

D. A QinQ VLAN of 118 is configured.

Correct Answer: D

http://www.cisco.com/en/US/docs/switches/lan/catalyst4500/12.2/54sg/configuration/guide/tunn el.html#wp1026594

QUESTION 2

Which four statements about REP configurations on a Cisco ME 3400 switch port are true? (Choose four.)

A. The port must be an NNI type and must be in trunk mode.

B. Use the rep segment number command to enable REP on the switch port.

C. A REP segment cannot be wrapped into a ring topology. REP supports only a topology where each REP segment has two exit points via two edge switches.

D. The port where the segment terminates is called the edge port.

E. With REP, at least one port is always blocked in any given segment-that is, the alternate port.

F. If a failure occurs within the segment, the blocked port goes to the forwarding state after it goes through the listening state and the learning state.

Correct Answer: ABDE

QUESTION 3

Refer to the show command exhibit.

```
RP/0/RSP0/CPU0:PE7(config)#show configuration
Building configuration...
!! IOS XR Configuration 4.1.0
hostname PE7
username execuser
 group operator
 password 7 02050D480809
!
cdp
line console
 exec-timeout 10 0
!
interface Loopback0
 ipv4 address 10.7.1.1 255.255.255.255
 ipv6 address 2001:db8:10:7:1::1/128
 ipv6 enable
!
interface MgmtEth0/RSP0/CPU0/0
 cdp
 ipv4 address 10.10.10.40 255.255.255.0
!
interface MgmtEth0/RSP0/CPU0/1
 shutdown
!
interface GigabitEthernet0/0/0/0
 cdp
 ipv4 address 192.168.107.70 255.255.255.0
 ipv6 address 2001:db8:192:168:107::70/64
 ipv6 enable
 speed 100
 duplex full
!
!
route-policy pass
  pass
end-policy
!
end
!
```

Which statement is true?

A. It shows the result of the target configuration merged with the running configuration.

B. It shows the contents of the uncommitted configuration.

C. It shows the contents of the failed configuration.

D. It shows the contents of the running configuration.

Correct Answer: B

http://www.cisco.com/en/US/docs/ios_xr_sw/iosxr_r3.6/system_management/command/referenc e/ yr36conf.pdf

To display information about the current configuration session (target configuration), use the show configuration command in any configuration mode.

show configuration [merge] [running]

QUESTION 4

Select and Place:

Drag and drop the Cisco router platforms on the left to match the correct requirements on the right

ASR 1K	ISSU support is *not* required.
7600	
CRS-1/CRS-3	ISSU support *is* required. Two-stage configuration process s *not* required.
ISR G2	
ASR 9K	ISSU support *is* required. Two-stage configuration process *is* required.

Correct Answer:

Drag and drop the Cisco router platforms on the left to match the correct requirements on the right

| | ISSU support is *not* required. |
	7600
	ISR G2
	ISSU support *is* required. Two-stage configuration process s *not* required.
	ASR 1K
	ISSU support *is* required. Two-stage configuration process *is* required.
	CRS-1/CRS-3
	ASR 9K

QUESTION 5

Instructions

- Enter the proper IOS CLI show commands and analysis the show outputs on the Cisco switches to answer the multiple-choice questions.
- Not all show commands or show commands options are supported or required for this simulation.
- THIS TASK DOES NOT REQUIRE DEVICE CONFIGURATION.
- From the Topology, click on the switch icon to gain access to the console of the switch. No console or enable passwords are required.
- To access the multiple-choice questions, click on the numbered boxes on the left of the top panel.
- There are four multiple-choice questions with this task. Be sure to answer all four questions before selecting the Next button.

Scenario

Refer to the topology diagram. Use the appropriate show commands on the Cisco switches to answer the multiple-choice questions.

Topology

S7 — Fa0/2, Fa0/23, Fa0/21
S78 — Fa0/1, Fa0/2, Fa0/21, Fa0/23
S8 — Fa0/23, Fa0/21, Fa0/2

S7
S7#

S78
S78#

Hot Area:

Hot Area:

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:

One Year Free Update
Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.

Money Back Guarantee
To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.

Security & Privacy
We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.