

# 642-035<sup>Q&As</sup>

Troubleshooting Cisco Data Center Unified Computing

## Pass Cisco 642-035 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/642-035.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.geekcert.com/642-035.html

#### **QUESTION 1**

Which description of a core file is true?

- A. It is generated by a system failure.
- B. It is generated by a process failure.
- C. It is generated by a component failure.
- D. It is generated by a hardware failure.

Correct Answer: B

#### **QUESTION 2**

Which names are reserved when custom roles are created in Cisco UCS Manager RBAC?

- A. network-admin, network-operator, vdc-admin, vdc-operator, and server-admin
- B. cisco, cisco123, cisco-operator, cisco-admin, and root
- C. ucs-admin, ucs-operator, server-admin, server-operator, and cisco-admin
- D. ucs, ucs123, server-admin, server-operator, and sysroot

Correct Answer: A

#### **QUESTION 3**

After you hot swap an HDD, the updated HDD metrics fail to appear in the Cisco UCS Manager GUI. Which option is the most likely cause of the problem?

- A. The Cisco UCS Manager gathers hard disk metrics only during a system boot.
- B. The hard disk firmware version is unsupported.
- C. The hard disk failed to initialize.
- D. The hard disk is a member of a RAID-1 array.

Correct Answer: A

#### **QUESTION 4**

Refer to the exhibit.

#### https://www.geekcert.com/642-035.html

2021 Latest geekcert 642-035 PDF and VCE dumps Download



Which of these is an extension of the virtual machine abstraction that is applied to physical servers?

- A. service profile
- B. compute profile
- C. organization profile
- D. locale profile
- E. role profile

Correct Answer: A

#### **QUESTION 5**

A customer is configuring VSANs in a Cisco UCS domain. After configuring the VSANs 3840, 3841, and 3842 in FC end-host mode, the customer sees that these VSANs are not operational and that Cisco UCS Manager is raising faults. What is the cause of this problem?



#### https://www.geekcert.com/642-035.html 2021 Latest geekcert 642-035 PDF and VCE dumps Download

- A. VSANs 3840, 3841, and 3842 should be in the allowed list on the trunk to clear the fault.
- B. VSANs 3840 to 4079 cannot be used in Fibre Channel end-host mode in a Cisco UCS domain.
- C. The fabric interconnect needs to be configured in switching mode and the VSANs need to be allowed on the trunk.
- D. Use the UCS CLI to clear the fault on the VSAN trunk to forward the VSANs with faults.

Correct Answer: B

642-035 VCE Dumps

642-035 Exam Questions

642-035 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.