



642-035^{Q&As}

Troubleshooting Cisco Data Center Unified Computing

Pass Cisco 642-035 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-035.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Where do you configure users so that they cannot access resources that belong to other organizations?

- A. roles
- B. domain separation
- C. locals
- D. VDCs

Correct Answer: C

QUESTION 2

Using CLI/GUI to troubleshoot packet flow from server to the fabric, you discover that the blade server 1/7 in a Cisco UCS B-Series Blade Server is running slower than expected. You must troubleshoot the problem by using packet tracing. Which three commands can you use to identify the uplink from the Cisco UCS Fabric Interconnect to the external network of the server? (Choose three.)

- A. show pinning server-interfaces
- B. show pinning border-interface active
- C. show service-profile circuit server 1/7
- D. show fex detail
- E. show pinning border-interface
- F. show interface-fex fabric

Correct Answer: ABC

QUESTION 3

A customer is configuring SAN pin groups in a Cisco UCS domain. The customer notices that pinning is not working and traffic from the vHBA is not passing over the Fibre Channel uplink port. Which of these must be done for pinning to work correctly?

- A. Include the SAN pin group in a vHBA policy and then include the vHBA policy in the service profile that is assigned to that server.
- B. Include the SAN policy in the Cisco UCS Manager to match with pin groups on the fabric interconnect.
- C. The customer must have Cisco UCS Manager version 2.0 or above.
- D. Fibre Channel switch mode needs to be configured first.

Correct Answer: A



QUESTION 4

Which log file in Cisco UCS Manager contains information about which user took a specific action?

- A. user access log
- B. system change log
- C. audit log
- D. access control log

Correct Answer: C

QUESTION 5

Before using the UCS Manager to configure SAN and network connectivity in the service profile, which two components needs to be created? (Choose two.)

- A. vHBA
- B. global VSAN
- C. vNIC D. global VLAN

Correct Answer: BD

[642-035 PDF Dumps](#)

[642-035 VCE Dumps](#)

[642-035 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.