



642-243^{Q&As}

Unified Contact Center Enterprise Support Exam

Pass Cisco 642-243 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-243.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


In addition to enabling tracing in the Cisco Unified IP IVR, what additional trace files would be helpful in troubleshooting calls that are being dropped in the Cisco Unified IP IVR for the Cisco Unified Contact Center Enterprise solution? (Choose two.)

- A. Cisco Unified Communications Manager > CM Services > CM Services > Cisco CallManager > Debug Trace Level set to Detailed
- B. Cisco Unified Communications Manager > CM Services > CM Services > Cisco CallManager > Debug Trace Level set to Error
- C. Cisco Unified Communications Manager > CTI Services > SDI > Debug Trace Level set to Error
- D. Cisco Unified Communications Manager > CTI Services > Cisco CTIManager > Debug Trace Level set to Detailed
- E. Cisco Unified Communications Manager > CM Services > Cisco CTIManager > Debug Trace Level set to Detailed

Correct Answer: AE

QUESTION 2

Refer to the exhibit. In the Cisco Unified Contact Center Enterprise solution, the Cisco Unified ICM Script Editor provides a "Monitor Mode" that is useful in understanding how calls are being handled in real time. Given the screen capture, which two states describe the calls handled by this Call Routing Script? (Choose two.)





- A. Thirty calls are currently in queue for the "Gold" Skill Group.
- B. Three calls failed the Queue to Skill Group Node because no "Gold" agents were logged in.
- C. Agents in the "Gold" Skill Group were immediately available for 20 calls.
- D. Four calls remained in queue on the Cisco Unified IP IVR waiting for available agents and heard the prompts played by the "qmsg" script.
- E. "CCM1_1" is the Media Routing Domain of the "Gold" Skill Group.

Correct Answer: BC

QUESTION 3

Refer to the exhibit. An agent in a Cisco Unified Contact Center Enterprise system is reporting that the system is automatically changing the agent's state from "Ready" to "Not-Ready" for no apparent reason.

In the Cisco Unified Communications Manager configuration, the default Calling Search Space for the CTI Ports and CTI Route Points is "Calling Party."

Given the log file and Cisco Unified Communications Manager configuration, which option is the most likely cause of the failure?


```
Accepting call for CTI Route Point: 1208 on CTI Port: 1333, ciscoCause=31 21817: Apr 08 20:02:48.001 CDT %MVR-SS_TEL-7-UNK:Call.accepte
JTAPICallContact[id=123,impId=105251/4,inbound=true,App name= BUR_TR1,task=null,session=80000000096,seq
num=0,cn=1208,dn=1208,cgn=6309659195,ani=null,dnis=null,clid=null,atype=REDIRECT,Ird=4901,ocn=8883366178,route=RP[num=1208],TP=13
REDIRECT_FAILED:Redirect failed: All Call ids=CallID:123 MediaId:105251/4 Task:73000000315,Extension=613373,Exception=com.cisco.jtapi.In
Request failed because of an invalid destination. ,Failure reason= CTIERR_REDIRECT_CALL_UNKNOWN_DESTINATION=0x8ccc0034 21880: A
CDT %MVR-SS_TEL-3-EXCEPTION:com.cisco.jtapi.InvalidPartyExceptionImpl: Request failed because of an invalid destination.
```

- A. The agent walked away from the desk without putting him or herself into "Not Ready."To resolve this issue instruct the agent to put his or her phone in a "Not Ready" state before leaving the workstation.
- B. The error is caused by a Cisco Unified Communications Manager Calling Search Space mis- configuration.The Calling Search Space of the CTI Route Point 1208 needs to have the agent's extension 613373 in Cisco Unified Communications Manager.
- C. The error is caused by a Cisco Unified Communications Manager Calling Search Space mis- configuration.The Calling Search Space of the calling device needs to have the agent's extension 613373 in Cisco Unified Communications Manager.
- D. The agent's extension 613373 is not associated with the IP-IVR JTAPI/CTI user in Cisco Unified Communications Manager.From the Cisco Unified Communications Manger Administration > User; add extension 613373 as a controlled device.

Correct Answer: C

QUESTION 4

Refer to the exhibit. In a Cisco Unified Contact Center Enterprise system, the call flow uses a Cisco Unified IP IVR application to collect an Account ID and PIN from the caller as shown above. In testing this call flow, the Cisco Unified ICM Call Routing Script is not receiving the digits entered by the caller. What is the most likely cause of the problem?



- A. The "Set Contact Info" variable should be used before the "Set ICM Result" to set "Call.PeripheralVariable1" to "accountID" and "Call.PeripheralVariable2" to "accountPIN"
- B. The "Set Enterprise Call Info" step should be used before the "Set ICM Result" step to set "Call.PeripheralVariable1" to "accountID" and "Call.PeripheralVariable2" to "accountPIN".
- C. In the "Set ICM Result" the "Call.PeripheralVariable1" variable should be set to "accountID" and the "Call.PeripheralVariable2" variable should be set to "accountPIN".
- D. The "Set Call Variable" step should be used before the "Set ICM Result" step to set "Call.PeripheralVariable1" to "accountID" and "Call.PeripheralVariable2" to "accountPIN".

Correct Answer: B

QUESTION 5

In a Cisco Unified Contact Center Enterprise system, a new agent and phone have been added to the system; however, the agent is unable to log in to the system.

The agent is using the same type of phone and has the same CTI OS desktop setup as other agents who are able to log in without issue.

What are two possible causes for this issue?(Choose two.)

- A. The incorrect CTIOS Server IP and Port are configured on the new agent's CTI desktop.
- B. The new phone used by the agent is not associated with IVRJtapiUser.
- C. A new Device Target needs to be added for the phone in the Config (for example, /devtype ipphone / DN 12345).
- D. The phone has call forwarding and call waiting enabled.
- E. The new phone used by the agent is not associated with PGJtapiUser.

Correct Answer: CE



VCE & PDF

GeekCert.com

<https://www.geekcert.com/642-243.html>

2024 Latest geekcert 642-243 PDF and VCE dumps Download

[642-243 VCE Dumps](#)

[642-243 Practice Test](#)

[642-243 Braindumps](#)