



# 642-243<sup>Q&As</sup>

Unified Contact Center Enterprise Support Exam

**Pass Cisco 642-243 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-243.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1


To use the Cisco Unified ICM dumplog utility to gather the Call Router's MDS log from Monday, March 10, 2008, beginning at 9:30, and to ensure that you do not get binary data in the log, which command line syntax would you use?

- A. `dump mds /bt 09:30 /nobinary /o`
- B. `dumplog mds /bd 03/10/2008 /9:30 /o`
- C. `dumplog mds /bd 03/10/2008 /bt 09:30 /nobin /o`
- D. `dumplog /bd 03/10/2008 /bt 09:30 /nobin /o`

Correct Answer: C

### QUESTION 2

Refer to the exhibit. In a Cisco Unified Contact Center Enterprise deployment using the Multi-Site Centralized call processing model, all calls come into the central site for treatment or queuing and are then transferred across the WAN to agents. In this deployment, agents have reported that they are getting stuck in a reserved state but not getting the actual call delivered to them. What is the most likely cause of this failure?



- A. There are not enough Cisco Unified IP IVR ports available to queue calls at the central site.
- B. The agents have lost connection to the centralized CTI OS Servers.
- C. The agent's phone was off-hook during the transfer from the Cisco Unified IP IVR.



D. There was not enough bandwidth for the call over the WAN, and the Cisco Unified Communications Manager's Locations-based Call Admission Control rejected the call setup.

Correct Answer: D

### QUESTION 3

Refer to the exhibit. In a Cisco Unified Contact Center Enterprise system, callers have reported that their calls are dropping intermittently without hearing any greetings or queue music. At times they are able to hear Cisco Unified IP IVR

prompts but are then dropped before connecting to an agent.

The Cisco Unified Communications Manager is configured as follows for this deployment:

All CTI Route Points that make requests to Cisco Unified ICM have names that start with "IPCC."

All CTI Route Points used for Cisco Unified ICM Translation Routing to the Cisco Unified IP IVR are named starting with "Trans."

All CTI Ports used by the Cisco Unified IP IVR are named starting with "CTI."

All Agent Phones are named starting with "SEP."

There is concern about how these devices are associated in the Cisco Unified Communications Manager configuration. The device associations for the PGuser and IVRuser are shown in the exhibit.

Given the problem and the current device associations, what two things might be causing these call failures? (Choose two.)

<input checked="" type="checkbox"/>		TransRtRP2	TransRtRP2	<input type="radio"/>	6001	<input type="radio"/>	Controlled
<input checked="" type="checkbox"/>		TransRtRP3	TransRtRP3	<input type="radio"/>	6002	<input type="radio"/>	Controlled
<input checked="" type="checkbox"/>		TransRtRP4	TransRtRP4	<input type="radio"/>	6003	<input type="radio"/>	Controlled

A. "Enable CTI Application Use" is not checked on the PGuser and IVRuser configuration options

B. The Peripheral Gateway and Cisco Unified IP IVR do not use the PGuser nor IVRuser Cisco Unified Communications Manager user accounts

C. CTI\_1300 and TransRtPT3 should not be associated with the PGuser Cisco Unified Communications Manager user account

D. All devices should be associated with both the PGuser and IVRuser Cisco Unified Communications Manager user accounts

E. The Agent IP Phone 3001 should not be associated with the IVRuser Cisco Unified Communications Manager user account

F. The problem is not with the configuration. The Cisco Unified Communications Manager database subscription is broken on subscribers



Correct Answer: CE

#### QUESTION 4

Refer to the exhibit. In a Cisco Unified Contact Center Enterprise call flow, the Cisco Unified IP IVR application is used to queue calls during business hours, or plays the system generated "goodbye" prompt. In testing this call flow, all callers are hearing the "goodbye" prompt, even during business hours. In order to correct this error, which Cisco Unified IP IVR step needs to be moved in the flow shown in the exhibit?



- A. Get Enterprise Call Info step
- B. If step
- C. Play Prompt ("goodbye") step
- D. Play Prompt ("ICMStayOnline") step
- E. Label ("PlayPrompt:") step

Correct Answer: E

#### QUESTION 5

In a Cisco Unified Contact Center Enterprise deployment, which three traces would you apply for a Cisco Unified



Communications Manager PIM in the Cisco Unified ICM PROCMON tool? (Choose three.)

- A. trace \*low\* /on
- B. trace csta\* /on
- C. trace \*event /on
- D. trace closedcalls /on
- E. trace precall /on
- F. trace routing /on

Correct Answer: BCE

[Latest 642-243 Dumps](#)

[642-243 VCE Dumps](#)

[642-243 Study Guide](#)