642-447^{Q&As}

Implementing Cisco Unified Communications Manager, Part 1 v8.0 (CIPT1 v8.0)

Pass Cisco 642-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/642-447.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

**QUESTION 1**

Refer to the exhibit.

Which conference resource is Conference 3 using assuming that the MRGL has just been reset and all 6 conferences have become active?

A. HW_CFB_1

B. HW_CFB_2

C. SW_CFB_1

D. SW_CFB_2

E. SW_CFB_3

Correct Answer: C

When all 6 conferences have become active. HW_CFB_1 would be the first conference, HW_CFB_2 the second conference and SW_CFB_1 the third conference.

QUESTION 2

When you configure DHCP in a Cisco Unified Communications Manager deployment, what is the recommended number of TFTP servers that should be issued to an IP phone?

A. 2

B. 3

C. 1

D. 6

Correct Answer: A

QUESTION 3

What is the purpose of using device pools?

A. to provide an easily modified set of system parameters for the Cisco Unified CallManager server and endpoints

B. to provide all the IP phone parameters required for auto-registration

C. to consolidate the dial plan for a set of IP phones in the same location

D. to provide a convenient way to define a set of common characteristics that can be assigned to devices

Correct Answer: D

device pool definition Device pools define sets of common characteristics for devices, the device pool structure supports the separation of user and location information. The device pool contains only device- and location-related information

---

QUESTION 4

What are two reasons to use IP addresses instead of DNS in a Cisco Unified Communications Manager cluster? (Choose two.)

A. simplifies management

B. simplifies troubleshooting

C. improves IP address scalability

D. makes IP address changes easier

E. reduces the number of potential sources of failure

Correct Answer: BE

QUESTION 5

What are the two steps to configure NTP on a Cisco Unified Communications Manager publisher to support SCCP phones? (Choose two.)

A. Restart the Unified Communications Manager services for the publisher and subscribers on the Unified CallManager Serviceability page.

B. Configure Phone NTP References in Cisco Unified CM Administration.

C. Configure time in Cisco Unified OS Administration.

D. Configure the NTP server in Cisco Unified CM Administration.

E. Configure the NTP server in Cisco Unified OS Administration.

Correct Answer: AE

In correct answer : BCD Link :
http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/admin/8_5_1/ccmsys/a02sycfg.html

B : CM administration : create, modify, or delete the user device profile

c : OS administration : configure and administer cisco CM platforms

d : CM administration : create, modify, or delete the user device profile

[642-447 VCE Dumps](#)   [642-447 Practice Test](#)   [642-447 Braindumps](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: