642-457^{Q&As}

Implementing Cisco Unified Communications Manager, Part 2 v8.0 (CIPT2 v8.0)

Pass Cisco 642-457 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/642-457.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which trunk should you use in an H.323 gatekeeper-controlled network?

A. H.323

B. H.225

C. SIP

D. Intercluster

E. MGCP FXO trunk

F. MGCP T1/E1 trunk

Correct Answer: B

QUESTION 2

Which Cisco IOS command is used to verify that the Cisco Unified Communications Manager Express has registered with the SAF Forwarder?

A. show eigrp service-family ipv4 clients

B. show eigrp address-family ipv4 clients

C. show voice saf dndb all

D. show saf registration

E. show ip saf registration

Correct Answer: A

QUESTION 3

Which two statements about international multisite dial plans are true? (Choose two.)

A. TEHO is legal in all countries.

B. TEHO is legal in most countries, but illegal in others.

C. TEHO reduces WAN utilization.

D. TEHO utilizes WAN links.

Correct Answer: BD

QUESTION 4

Which statement is true when device mobility mode is enabled or disabled in the Phone Configuration window?

A. The device mobility mode phone settings take precedence over the service parameter settings.

B. The service parameter settings take precedence over the device mobility mode phone settings.

C. The combined service parameter settings and the device mobility mode phone settings will be used.

D. The default settings will be used due to the conflicts.

Correct Answer: A

QUESTION 5

Which two configurations provide the best SIP trunk redundancy with Cisco Unified Communications Manager? (Choose two.)

A. Configure all SIP trunks with DNS SRV

B. Configure all SIP trunks with Cisco Unified Border Element

C. Configure all SIP trunks to point to a SIP gateway

D. Configure SIP trunks to be members of route groups and route lists

E. Configure all SIP trunks to allow TCP ports 5060

F. Configure all SIP trunks to point to a gatekeeper through SIP to H.323 gateway

Correct Answer: AD

Latest 642-457 Dumps   642-457 VCE Dumps   642-457 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: