



642-731^{Q&As}

Conducting Cisco Unified Wireless Site Survey

Pass Cisco 642-731 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-731.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Select and Place:

Drag from the left the minimum requirements needed for a location based survey and deployment and drop them on the right.

3 APs	Minimum Requirements - APs
4 APs	Minimum Requirements - dBm
5 APs	Minimum Requirements - feet
-65 dBm	
-72 dBm	
-75 dBm	
25 feet	
50 feet	
70 feet	

Correct Answer:

Drag from the left the minimum requirements needed for a location based survey and deployment and drop them on the right.

	3 APs
4 APs	-75 dBm
5 APs	70 feet
-65 dBm	
-72 dBm	
25 feet	
50 feet	

QUESTION 2

Which option allows the maximum 2.4-GHz channel usage for a survey and data deployment in the ETSI domain?



- A. 1, 6, 11
- B. 1, 5, 9, 13
- C. 1, 6, 9, 14
- D. 1, 6, 11, 14

Correct Answer: B

QUESTION 3

What is the result if a client radio is incapable of supporting all the 5 GHz channels you have deployed in the controller or APs?

- A. You may only be able to deploy 20 MHz-wide channels.
- B. This may result in the client having to roam more frequently to find a channel it supports.
- C. This may result in coverage holes in the network.
- D. You may only be able to deploy 40 MHz-wide channels.

Correct Answer: C

QUESTION 4

What three pieces of information should be included in an installation report? (Choose three.)

- A. software versions of each AP
- B. configuration files for each WLC
- C. switch connection for each MAP
- D. license file for each RAP
- E. radio status for each AP
- F. mobility group name for each WLC

Correct Answer: ABE

QUESTION 5

An engineer is configuring an AP for a site survey. How should the transmit power be configured?

- A. Set to maximum power.
- B. Set to one level below full power.



C. Enable DTPC.

D. Set to one level above the lowest power level.

Correct Answer: B

[642-731 Study Guide](#)

[642-731 Exam Questions](#)

[642-731 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.