



642-732^{Q&As}

Conducting Cisco Unified Wireless Site Survey (CUWSS) v2.0

Pass Cisco 642-732 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-732.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the result of a Cisco 1250 AP deployed for 802.11a/b/g/n using optimized power (16.8 W) with software version 7.0?

- A. One spatial stream per radio
- B. One spatial stream on 2.4 GHz and two spatial streams on 5 GHz
- C. One spatial stream on 5 GHz and two spatial streams on 2.4 GHz
- D. Reduced power on both radios
- E. Reduced power on 2.4 GHz radio only
- F. Reduced power on 5 GHz radio only

Correct Answer: E

QUESTION 2

Which option will allow the maximum 2.4 GHz channel usage for a survey and voice deployment in the ETSI domain?

- A. 1, 6, 11
- B. 1, 5, 9, 13
- C. 1, 6, 9, 14
- D. 1, 6, 11, 14

Correct Answer: A

QUESTION 3

Which item is the most common limiting factor in an outdoor coverage for mesh deployment?

- A. 5GHz MAP to RAP backhaul
- B. 2.4GHz MAP to RAP backhaul
- C. 2.4GHz MAP access
- D. 2.4GHz client

Correct Answer: D

QUESTION 4



Which two options describes the vertical RF coverage pattern of an antenna? (Choose two.)

- A. View from the side
- B. View from above
- C. Azimuth
- D. H-plane
- E. E-plane

Correct Answer: AE

QUESTION 5

What is the recommended method to protect a wireless outdoor bridge from lightning?

- A. Install the wireless outdoor bridge in a grounded NEMA enclosure.
- B. Install the wireless outdoor bridge inside a building if possible and only have the antenna outside.
- C. Install a fiber-optic link between the wireless outdoor bridge and the antenna.
- D. Install a one-meter segment of fiber-optic cable with a copper-to-fiber-optic transceiver to isolate the wireless outdoor bridge from the network cable plant.
- E. Install a protection frame in the copper portion of the network cable plant to act as a lightning arrestor.

Correct Answer: D

[642-732 PDF Dumps](#)

[642-732 VCE Dumps](#)

[642-732 Brindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.