

642-737^{Q&As}

Implementing Advanced Cisco Unified Wireless Security (IAUWS) v2.0

Pass Cisco 642-737 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/642-737.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/642-737.html

2021 Latest geekcert 642-737 PDF and VCE dumps Download

QUESTION 1

An engineer is deploying a Cisco NAC appliance in a highly routed environment and requires it to act as a DHCP server. What deployment model should be used?

- A. Layer 3 Virtual Gateway OOB Real-IP Gateway
- B. Layer 2 Virtual Gateway
- C. Layer 2 Real IP
- D. Layer 3 Real IP

Correct Answer: A

QUESTION 2

What NAC appliance component is configured to create user roles, meet remediation requirements, and handle checking for device compliance?

- A. NGS
- B. NAA
- C. NAS
- D. NAM

Correct Answer: D

QUESTION 3

Refer to the exhibit.

https://www.geekcert.com/642-737.html 2021 Latest geekcert 642-737 PDF and VCE dumps Download



Viewing the Controller > Interfaces configuration screen, which statement about the nac- vlan interface configuration is true?

A. Wireless client traffic that is outbound on VLAN 176 will be switched to the trusted interface on the Cisco NAC Appliance Server.

- B. Wireless client traffic that is outbound on VLAN 175 will be switched to the trusted interface on the Cisco NAC Appliance Server.
- C. 10.10.175.1 is the IP address of the trusted interface on the Cisco NAC Appliance Server.
- D. 10.10.175.1 is the IP address of the untrusted interface on the Cisco NAC Appliance Server.
- E. VLAN 175 is the access VLAN.
- F. VLAN 176 traffic from the client will bypass the Cisco NAC Appliance Server.

Correct Answer: E

QUESTION 4

A WLAN is configured for AAA override. Valid user authentications are failing due to a custom ACL. What are two



https://www.geekcert.com/642-737.html

2021 Latest geekcert 642-737 PDF and VCE dumps Download

reasons the authentication could fail? (Choose two.)

- A. The ACL returned does not exist on the WLC.
- B. The name of the ACL on the WLC is not spelled correctly.
- C. The interface referred to in the returned ACL does not exist on the WLC.
- D. The ACL returned to the WLC prevents the end user device from receiving a DHCP address.
- E. The ACL name attribute has not been configured on the Cisco Secure ACS

Correct Answer: AB

QUESTION 5

Many users report being disconnected from the WLAN and WCS shows events for broadcast deauthentication frames. What security feature mitigates the issue?

- A. WPA2
- B. MFP
- C. IDS
- D. ACL
- E. IPS

Correct Answer: B

642-737 VCE Dumps

642-737 Study Guide

642-737 Exam Questions

https://www.geekcert.com/642-737.html

2021 Latest geekcert 642-737 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.