



# 642-873<sup>Q&As</sup>

Designing Cisco network Service Architectures (ARCH)

## Pass Cisco 642-873 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-873.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which option provides software modularity in Cisco NX-OS software in the data center design?

- A. The ip routing command enables all of the features in the Cisco NX-OS.
- B. All of the features are enabled by default in the Cisco NX-OS.
- C. Individual features must be manually enabled to start the process.
- D. The Cisco NX-OS has a management VRF that is enabled by default.

Correct Answer: C

---

#### QUESTION 2

Which three options are benefits of using VRFs within an enterprise network? (Choose three.)

- A. simplifies configuration and troubleshooting
- B. enables partitioning of network resources
- C. enhances security between user groups
- D. provides additional redundancy at Layer 3
- E. allows for routing and forwarding separation
- F. improves routing protocol convergence

Correct Answer: BCE

---

#### QUESTION 3

The Cisco Nexus 1000V is intended to address which disadvantage of the VMware vSphere solution?

- A. Inability to deploy new functional servers without requiring physical changes on the network
- B. Complexity added by the requirement for an ESX host for each virtual machine
- C. Network administrators lack control of the access layer of the network
- D. To increase the number of physical infrastructure and the virtual machines that can be managed

Correct Answer: C

---

#### QUESTION 4

Which option does the FabricPath technology use to create loop-free Layer 2 networks?



- A. STP
- B. TTL
- C. fabric tags
- D. FSTP

Correct Answer: B

---

#### QUESTION 5

Which IPv6 transition model should be utilized when two or more independent transition mechanisms are required?

- A. tunneling
- B. dual stack
- C. service block
- D. hybrid
- E. manual

Correct Answer: D

[Latest 642-873 Dumps](#)

[642-873 VCE Dumps](#)

[642-873 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © geekcert, All Rights Reserved.