



642-874^{Q&As}

Designing Cisco Network Service Architectures

Pass Cisco 642-874 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/642-874.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which option is the primary reason to implement security in a multicast network?

- A. maintain network operations
- B. allow multicast to continue to function
- C. optimize multicast utilization
- D. ensure data streams are sent to the intended receivers

Correct Answer: A

QUESTION 2

Which statement about Fibre Channel communications is correct?

- A. N_Port to N_Port connections use logical node connection points.
- B. Flow control is only provided by QoS.
- C. It must be implemented in an arbitrated loop.
- D. Communication methods are similar to those of an Ethernet bus.

Correct Answer: A

QUESTION 3

When is a first-hop redundancy protocol needed in the distribution layer?

- A. when the design implements Layer 2 between the access and distribution blocks
- B. when multiple vendor devices need to be supported
- C. when preempt tuning of the default gateway is needed
- D. when a robust method of backing up the default gateway is needed
- E. when the design implements Layer 2 between the access switch and the distribution blocks

Correct Answer: A

QUESTION 4

From a design perspective which two of the following OSPF statements are most relevant? (Choose two) A. OSPF stub areas can be thought of as a simple form of summarization



- B. OSPF cannot filter intra-area routes
- C. An ABR can only exist in two areas - the backbone and one adjacent area
- D. Performance issues in the Backbone area can be offset by allowing some traffic to transit a non- backbone area
- E. The size of an area (the LSDB) will be constrained by the size of the IP MTU

Correct Answer: AB

QUESTION 5

Which of these Layer 2 access designs does not support VLAN extensions?

- A. FlexLinks
- B. loop-free U
- C. looped square
- D. looped triangle
- E. loop-free inverted U

Correct Answer: B

[642-874 PDF Dumps](#)

[642-874 VCE Dumps](#)

[642-874 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.