

644-906^{Q&As}

Implementing and Maintaining Cisco Technologies Using IOS XR

Pass Cisco 644-906 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/644-906.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which configuration command will set EXEC shell timeout on the console to 300 seconds?

- A. line console exec-timeout 5 0
- B. line console session-timeout 300
- C. line console session-timeout 300 output
- D. line console timeout login response 300

Correct Answer: A

QUESTION 2

How many planes are there in the Cisco CRS-3 switch fabric?

A. 1		
B. 3		
C. 7		
D. 8		

QUESTION 3

Correct Answer: D

Refer to the show environmental power-supply command output exhibit. How much power is the system currently using?

- A. 663 W
- B. 1150 W
- C. 1850 W
- D. 6000 W

Correct Answer: A

QUESTION 4

Which Cisco IOS XR command is the most useful for checking if traffic is being sent for a specific multicast group?

A. show ip mroute traffic 226.1.1.1




- B. show mrib route 226.1.1.1
- C. show multicast stats
- D. show mfib route 226.1.1.1

Correct Answer: D

QUESTION 5

Referring to the diagram and configuration on Routers XR-1 and XR-2,



which three statements are correct? (Choose three.)

A. Router XR-1 can never be a designated router or designated intermediate system.

B. The transmission of IS-IS packets will be suppressed on interface GigabitEthernet0/0/0/2 on Router XR-1.

C. The received IS-IS packets from Router XR-2 will be suppressed from being processed.

D. Router XR-1 and Router XR-2 will form a neighbor adjacency, and Router XR-2 will become the designated router or designated intermediate system.

E. Router XR-1 will use the incremental shortest path first algorithm when there are minimal topology changes.

F. Router XR-1 can form a neighbor adjacency over interface GigabitEthernet0/0/0/2 but will not advertise 10.1.1.0/24 in its link-state packets (LSPs).



Correct Answer: DEF

644-906 PDF Dumps

644-906 Study Guide

644-906 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 3<u>0 days</u>

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.