



70-333^{Q&As}

Deploying Enterprise Voice with Skype for Business 2015

Pass Microsoft 70-333 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/70-333.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You need to ensure that the Miami users can use a five-digit extension when they call the Los Angeles users.

What should you include in the normalization rule? To answer, configure the appropriate match pattern and translation pattern in the dialog box in the answer area.

Hot Area:

Normalization rule	Match pattern	Translation pattern
Internal Los Angeles	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;"> <p><input type="text" value="^1(\d{5})\$"/></p> <p><input type="text" value="^2(\d{4})\$"/></p> <p><input type="text" value="^3(\d{4})\$"/></p> <p><input type="text" value="^3(\d{5})\$"/></p> </div> </div>	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;"> <p><input type="text" value="+1\$1"/></p> <p><input type="text" value="+1310\$1"/></p> <p><input type="text" value="+1310555\$1"/></p> <p><input type="text" value="+555\$1"/></p> </div> </div>

Correct Answer:

Normalization rule	Match pattern	Translation pattern
Internal Los Angeles	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;"> <p><input type="text" value="^1(\d{5})\$"/></p> <p style="background-color: #e0ffe0;"><input type="text" value="^2(\d{4})\$"/></p> <p><input type="text" value="^3(\d{4})\$"/></p> <p><input type="text" value="^3(\d{5})\$"/></p> </div> </div>	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;"> <p><input type="text" value="+1\$1"/></p> <p><input type="text" value="+1310\$1"/></p> <p style="background-color: #e0ffe0;"><input type="text" value="+1310555\$1"/></p> <p><input type="text" value="+555\$1"/></p> </div> </div>

QUESTION 2

Users in Copenhagen report frequent audio call issues.

You need to resolve the issues.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Create a new region link between the MPLS region and the Berlin region.
- B. Create and configure a new network region and assign only Copenhagen to this region.
- C. Create an inter-site policy which includes Copenhagen and Moscow and specify the existing BandwidthPolicyProfile "LOW".



D. Create an inter-site policy which includes Copenhagen and Berlin and apply the existing BandwidthPolicyProfile "LOW".

E. Create and configure a new network region and assign Berlin and Copenhagen to this region.

Correct Answer: CDE

QUESTION 3

You are developing a design solution to eliminate the possibility of wide area network (WAN) over-subscription by Skype for Business traffic.

You need to assign tasks to each office to prevent over subscription and to ensure quality.

Which tasks should you assign to each office? To answer, drag the appropriate task or tasks to the correct office or offices in the answer area. Each task may be used once, more than once, or not at all. You may need to drag the split bar

between panels or scroll to view content.

Select and Place:

Tasks

- Configure Call Admission Control (CAC).
- Deploy Quality of Service (QoS).
- Deploy sFlow on all network switches.
- Create a throttling policy.
- Implement Multiprotocol Label Switching (MPLS).

Answer Area

Vancouver office

- Task
- Task
- Task

Seattle office

- Task
- Task

Correct Answer:



Tasks

Configure Call Admission Control (CAC).

Deploy Quality of Service (QoS).

Deploy sFlow on all network switches.

Create a throttling policy.

Implement Multiprotocol Label Switching MPLS).

Answer Area

Vancouver office

Implement Multiprotocol Label Switching MPLS).

Deploy Quality of Service (QoS).

Configure Call Admission Control (CAC).

Seattle office

Implement Multiprotocol Label Switching MPLS).

Deploy Quality of Service (QoS).

QUESTION 4

You need to modify the relevant portion of the Persona configuration in the Skype for Business Bandwidth Calculator to estimate the planned volume of Skype for Business

traffic for the Contoso office in Vancouver.

In the Skype for Business Bandwidth Calculator, which options should you select? To answer, select the appropriate value in each drop-down list in the Skype for Business

Calculator. (Note: The drop-down lists are in the Persona Definitions section.)

Hot Area:



Skype for Business Bandwidth Calculator

Return to Start

Client and Deployment Options

Client: Lync 2010, Lync 2013, Skype for Business, Skype for Business Mobile, Lync-Phone Edition

Deployment: Onpremise, Online, On-premises, Online-Dedicated

Note: There are up to 10 persona definitions allowed. Use as many as you need and feel free to rename them.

Concurrency Example
Usage Models use Max Concurrency at Peak Time per Modality. For example, a user profile with 1000 users that uses a medium PSTN Usage Model (100% concurrency) would have 100 users making PSTN calls at the busiest time of the day.

Usage	Usage Models Definitions (Max Concurrency at Peak Time per Modality)				Custom Thresholds
	none	low	medium	high	
IM/Presence	0%	65.00%	80.00%	90.00%	85.00%
P2P audio	0%	0.50%	1.50%	2.50%	1.00%
P2P video	0%	0.10%	0.30%	0.50%	1.00%
conf audio	0%	1.00%	3.00%	5.00%	1.00%
conf video	0%	0.10%	0.50%	1.00%	1.00%
desktop share	0%	0.50%	1.00%	1.50%	1.00%
PSTN audio	0%	5.00%	10.00%	15.00%	25.00%

Persona Definitions

Client	Deployment	IM/Presence	P2P audio	P2P video	conf audio	conf video	desktop share	PSTN audio	Lync 2010 RIV_Type	Remote Users	Skype for Business/Lync 2013 Store Audio	Skype for Business/Lync 2013 Video Quality
Desktop Information Worker	Skype for Business Onpremise	High	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best
Mobile Information Worker	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	90%	0%	Best
Administrators	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best
Small Branch - Information Worker	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best
Vancouver Employees	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best

None, Low, Medium, High, Custom1

Correct Answer:

Skype for Business Bandwidth Calculator

Return to Start

Client and Deployment Options

Client: Lync 2010, Lync 2013, Skype for Business, Skype for Business Mobile, Lync-Phone Edition

Deployment: Onpremise, Online, On-premises, Online-Dedicated

Note: There are up to 10 persona definitions allowed. Use as many as you need and feel free to rename them.

Concurrency Example
Usage Models use Max Concurrency at Peak Time per Modality. For example, a user profile with 1000 users that uses a medium PSTN Usage Model (100% concurrency) would have 100 users making PSTN calls at the busiest time of the day.

Usage	Usage Models Definitions (Max Concurrency at Peak Time per Modality)				Custom Thresholds
	none	low	medium	high	
IM/Presence	0%	65.00%	80.00%	90.00%	85.00%
P2P audio	0%	0.50%	1.50%	2.50%	1.00%
P2P video	0%	0.10%	0.30%	0.50%	1.00%
conf audio	0%	1.00%	3.00%	5.00%	1.00%
conf video	0%	0.10%	0.50%	1.00%	1.00%
desktop share	0%	0.50%	1.00%	1.50%	1.00%
PSTN audio	0%	5.00%	10.00%	15.00%	25.00%

Persona Definitions

Client	Deployment	IM/Presence	P2P audio	P2P video	conf audio	conf video	desktop share	PSTN audio	Lync 2010 RIV_Type	Remote Users	Skype for Business/Lync 2013 Store Audio	Skype for Business/Lync 2013 Video Quality
Desktop Information Worker	Skype for Business Onpremise	High	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best
Mobile Information Worker	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	90%	0%	Best
Administrators	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best
Small Branch - Information Worker	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best
Vancouver Employees	Skype for Business Onpremise	med low	medium	medium	medium	medium	medium	medium	CIF	10%	0%	Best

None, Low, Medium, High, Custom1

QUESTION 5

You need to prepare the Quality of Service (QoS) policy for the Skype for Business environment.

Which values should you use for each configuration? To answer, drag the appropriate value or values to the correct configuration or configurations in the answer area. Each value may be used once, more than once, or not at all. You may

need to drag the split bar between panes or scroll to view content. Each correct set of answers is worth one point.

Select and Place:



Values	Answer Area
<input type="text" value="49152:57500"/>	Configure a Group Policy object (GPO) for Skype for Business audio and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...
<input type="text" value="49152:53326"/>	
<input type="text" value="57501:65535"/>	...and a differentiated services code point (DSCP) value of _____.
<input type="text" value="57501:61518"/>	
<input type="text" value="32"/>	Configure a Group Policy object (GPO) for Skype for Business video and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...
<input type="text" value="34"/>	
<input type="text" value="46"/>	
<input type="text" value="40"/>	

Correct Answer:

Values	Answer Area
<input type="text" value="49152:57500"/>	Configure a Group Policy object (GPO) for Skype for Business audio and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...
<input type="text" value="57501:65535"/>	
<input type="text" value="32"/>	Configure a Group Policy object (GPO) for Skype for Business video and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...
<input type="text" value="40"/>	

[70-333 PDF Dumps](#)

[70-333 Practice Test](#)

[70-333 Brindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.