

70-337^{Q&As}

Enterprise Voice & Online Services with Microsoft Lync Server 2013

Pass Microsoft 70-337 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/70-337.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/70-337.html

2021 Latest geekcert 70-337 PDF and VCE dumps Download

QUESTION 1

You have a Lync Server 2013 infrastructure.

Your network contains a single site. The site contains a Standard Edition server and multiple network segments. Each segment is associated to a different subnet. Some of the network segments are wireless and some are wired.

You enable Enterprise voice and deploy a Lync Server 2013 media gateway.

You configure media bypass. You set media bypass to Always bypass. Call Admission Control (CAC) is disabled.

Users on the wireless network report poor audio quality during calls to external phone numbers. The users report good audio quality during calls to other Lync Server 2013 users.

You need to recommend changes to the infrastructure to improve the audio quality of calls for the wireless network users.

Which three actions should you recommend? (Each correct answer presents part of the solution. Choose three.)

- A. From the Microsoft Lync Server 2013 Control Panel, select Use sites and region configuration.
- B. Associate the wireless subnets to the new site.
- C. From the Microsoft Lync Server 2013 Control Panel, select Enable bypass for nonmapped sites.
- D. Create a new network site.
- E. From the Microsoft Lync Server 2013 Control Panel, select Enable call admission control.
- F. Associate the wired subnets to the new site.

Correct Answer: ADF

QUESTION 2

You have a Lync Server 2013 infrastructure.

A user named Executive1 has an assistant named Assistant1. Assistant1 is configured as a delegate and receives all of the calls for Executive1.

You need to modify the current voice solution to meet the following requirements:

Ensure that some of the calls from other executives to Executive1 only ring on the Microsoft Lync 2013 client of Executive1.

Ensure that Executive1 can receive the calls from the other executives when his presence status is set to Do Not Disturb.

What should you configure?

A. Call Park



https://www.geekcert.com/70-337.html 2021 Latest geekcert 70-337 PDF and VCE dumps Download

- B. A private line
- C. Simultaneous ring
- D. A response group

Correct Answer: B

QUESTION 3

You need to recommend a solution to integrate the planned on-premises Lync Server 2013 infrastructure and Lync Online.

Which two components should you include in the recommendation? (Each correct answer presents part of the solution. Choose two.)

- A. A Lync Server 2013 partner application
- B. A new certificate issue by a trusted third-party certification authority (CA)
- C. The Microsoft Online Services Directory Synchronization tool
- D. A Session Border Controller
- E. A Lync Server 2013 Edge pool

Correct Answer: CE

QUESTION 4

You have a Lync Server 2013 infrastructure. The infrastructure contains one central site.

The infrastructure contains a Standard Edition server that has the Mediation Server role installed and is located in the central site.

You configure a trunk to an IP-PBX. The IP-PBX is on the Unified Communications Open Interoperability program.

You have 300 users who are enabled for Enterprise Voice.

You need to provide PSTN services to the Enterprise Voice users if the IP-PBX fails.

What should you do?

A. Install a PSTN gateway that connects directly to the PSTN. Configure a new trunk to the new PSTN gateway. Create a new route and a new PSTN usage. Add the route to the PSTN usage and add the PSTN usage to the voice policy.

B. Install a Survivable Branch Server that connects directly to the PSTN. Configure a new trunk and add the trunk to the existing route. Add the route to the PSTN usage and add the PSTN usage to the voice policy.



https://www.geekcert.com/70-337.html

2021 Latest geekcert 70-337 PDF and VCE dumps Download

C. Install a new trunk to a certified SIP trunk provider. Add the trunk to the existing PSTN usage. Add the PSTN usage to the voice policy.

D. Install an additional IP-PBX that connects directly to the PSTN. Configure the existing trunk to use both IP-PBXs in resiliency mode.

Correct Answer: A


QUESTION 5

You need to configure UM to meet the UM requirements.

Which UM component should you use to meet each requirement?

To answer, drag the appropriate components to the correct requirements in the answer area. Each setting may be used once, more than once, or not at all. Additionally, you can split bar between panes or scroll to view content.

Select and Place:




Correct Answer:



https://www.geekcert.com/70-337.html

2021 Latest geekcert 70-337 PDF and VCE dumps Download



70-337 PDF Dumps

70-337 Study Guide

70-337 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.