



70-480^{Q&As}

Programming in HTML5 with JavaScript and CSS3

Pass Microsoft 70-480 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/70-480.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

You develop a web application by using jQuery. You develop the following jQuery code: (Line numbers are included for reference only.)

```
01 <script>
02   $(document).ready(function () {
03     $('#submit').click(function () {
04       $.ajax({
05
06         data: $('#myForm').serialize(),
07         success: function (result) {
08           $('#result').text(result.message);
09         }
10       });
11     });
12   });
13 </script>
```

The web application exposes a RESTful web API that has an endpoint of /product/create.

You need to create a new product by using AJAX.

Which code segment should you insert at line 05?

- ☐ A.

```
type: "POST",
dataType: "xml",
contentType: "application/x-www-form-urlencoded; charset=UTF-8",
url: "/product/create",
```
- ☐ B.

```
type: "GET",
dataType: "xml",
contentType: "application/x-www-form-urlencoded; charset=UTF-8",
url: "/product/create",
```
- ☐ C.

```
type: "POST",
dataType: "json",
contentType: "application/json",
url: "/product/create/post",
```
- ☐ D.

```
type: "POST",
dataType: "json",
url: "/product/create",
```

A. Option A



B. Option B

C. Option C

D. Option D

Correct Answer: D

*

url: /product/create

This is the endproduct.

*

datatype:

The type of data that you\\re expecting back from the server.

*

contentType (default: \\application/x-www-form-urlencoded; charset=UTF-8\\) Reference:
<http://api.jquery.com/jquery.ajax/>

QUESTION 2

DRAG DROP

You have the following markup.

```
<form name="myForm" action="doSomething.aspx"
  onsubmit="return validateForm()" method="post">
  First name: <input type="text" name="fname">
  <input type="submit" value="Submit">
</form>
```

You need to ensure that the form can be submitted only if fname contains data. You write the following code.

```
function validateForm()
{
  var x = document.forms[Target 1][Target 2].value;
  if (x Target 3 null Target 4 x Target 5 "")
  {
    alert("First name must be filled out");
    return false;
  }
}
```



How should you complete the code? To answer, drag the appropriate code elements to the correct targets. Each code element maybe used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Code elements

!=
"fname"
"myForm"
&&
==

Answer Area

●	Target 1:	
●		
●	Target 2:	
●		
●	Target 3:	
	Target 4:	
	Target 5:	

Correct Answer:



Code elements

!=
"fname"
"myForm"
&&
==

Answer Area

Target 1:	"myForm"
Target 2:	"fname"
Target 3:	==
Target 4:	
Target 5:	==

Target 1: "myForm"

Target 2: "fname"

Target 3: ==

Target 4: ||

Target 5: ==

QUESTION 3

You are creating a custom object as described by the following code. Line numbers are included for reference only.

```
01 function square(side) {  
02     this.side = side;  
03     this.perimeter = perimeter;  
04 }  
05
```

You need to implement the perimeter method. Which code segment should you insert at line 05?

- A. function perimeter () {return 4 * side;}
- B. function perimeter () {return 4 * this.side;}



C. function perimeter () {return 4 * me.side;}

D. function perimeter (obj) {return 4 * obj.side;}

Correct Answer: B

<http://creative-coding.decontextualize.com/objects-with-methods/>

QUESTION 4

You implement an application by using HTML5 and JavaScript. You create a webpage that contains the following HTML:

```
<!DOCTYPE html>
<html>
<head>
  <link href="site.css" rel="stylesheet" type="text/css" />
  <script type="text/javascript" src="jquery.js"></script>
</head>
<body>
  <div id="container">
    <ul>
      <li>First List Item
        <ul>
          <li>Child List Item</li>
        </ul>
      </li>
      <li>Second List Item</li>
      <li>Third List Item</li>
      <li>Fourth List Item</li>
    </ul>
    <p>Some interesting information that we need to display.</p>
    <p>More information that is important to this page.</p>
  </div>
</body>
</html>
```

The application must place a border on only the first UL element that is contained in the DIV element.

You need to update the webpage.

What should you do?



- ☐ A. Add the following SCRIPT element after the DIV element:

```
<script>
  $("div").each(function () {
    $("ul").each(function (index, domEle) {
      $(domEle).css("border", "1px solid black");
    });
  });
</script>
```

- ☐ B. Add the following SCRIPT element after the DIV element:

```
<script>
  $("div#container > ul").css("border", "1px solid black");
</script>
```

- ☐ C. Add the following SCRIPT element after the DIV element:

```
<script>
  $("ul:first-of-type").css("border", "1px solid black");
</script>
```

- ☐ D. Add the following style to the site.css file:

```
.container > ul {
  border: 1px solid black;
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

Example:

CSS File:

```
ul {
border: 1px solid black;
}
```



Inline CSS:

QUESTION 5

You troubleshoot a webpage that contains the following HTML markup: (Line numbers are included for reference only.)

```
01 <div onclick="someEvent()">
02   <input type="radio" name="sizeRadio" id="sizeRadioSml" value="1" />
    <label for="sizeRadioSml">Small</label>
03   <input type="radio" name="sizeRadio" id="sizeRadioMed" value="2" />
    <label for="sizeRadioMed">Medium</label>
04   <input type="radio" name="sizeRadio" id="sizeRadioLrg" value="3" />
    <label for="sizeRadioLrg">Large</label>
05 </div>
```

The webpage also contains the following JavaScript function named someEvent() that is declared in the HEAD section of the HTML:

```
Function someEvent() {
  Alert('\\someEvent fired!\\');
}
```

The JavaScript function named someEvent() must run only when the user clicks the DIV element, not the INPUT elements.

You need to modify the webpage to invoke the JavaScript function named someEvent().

What should you do? (Each correct answer presents a complete solution. Choose two.)



- ☐ A. Modify all INPUT elements by using the following HTML attribute:

```
onclick="stopPropagation(event)"
```

Declare the JavaScript function named **stopPropagation()** in the HEAD section of the HTML as follows:

```
function stopPropagation(event) {  
    event = event || window.event;  
    if (event.stopPropagation) {  
        event.stopPropagation();  
    } else {  
        event.cancelBubble = true;  
    }  
}
```

- ☐ B. Place all INPUT elements within a SPAN element.

- ☐ C. Replace the DIV element declaration at line 01 with the following HTML markup:

```
<div onclick="someEvent(this,event)">
```

Modify the JavaScript function named **someEvent()** as follows:

```
function someEvent( el, event ) {  
    var target = event.srcElement || event.target;  
    if( el === target ) {  
        alert('someEvent fired!');  
    }  
}
```

- ☐ D. Replace the DIV element declaration at line 01 with the following HTML markup:

```
<div>
```

Modify all INPUT elements by using the following HTML attribute:

```
onclick="someEvent()"
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: AB

[70-480 VCE Dumps](#)

[70-480 Study Guide](#)

[70-480 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.