



70-513^{Q&As}

TS: Windows Communication Foundation development with Microsoft .NET Framework 4

Pass Microsoft 70-513 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/70-513.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are consuming a Windows Communication Foundation (WCF) service. The service interface is defined as follows.

```
[DataContract(Namespace = "")]
```

```
public class Item
```

```
{
```

```
...
```

```
}
```

```
[ServiceContract(Namespace = "")]
```

```
public interface ICatalog
```

```
{
```

```
[OperationContract]
```

```
[WebInvoke(Method = "POST", UriTemplate = "/Item")]
```

```
Item UpdateItem(Item item);
```

```
}
```

The client application receives a `WebResponse` named `response` with the response from the service.

You need to deserialize this response into a strongly typed object representing the return value of the method.

Which code segment should you use?

- A. `DataContractSerializer s = new DataContractSerializer(typeof(Item)); Item item = s.ReadObject(response.GetResponseStream()) as Item; BinaryFormatter f = new BinaryFormatter();`
- B. `Item item = f.Deserialize(response.GetResponseStream()) as Item; XmlDictionaryReader r = JsonReaderWriterFactory.CreateJsonReader(response.GetResponseStream(), XmlDictionaryReaderQuotas.Max);`
- C. `DataContractSerializer s = new DataContractSerializer(typeof(Item)); Item item = s.ReadObject(r) as Item;`
- D. `DataContractJsonSerializer s = new DataContractJsonSerializer(typeof(Item)); Item item = s.ReadObject(response.GetResponseStream()) as Item;`

Correct Answer: A

QUESTION 2

You are creating a Windows Communication Foundation (WCF) service that implements the following service contract.

```
[ServiceContract]
```



```
public interface IOrderProcessing
```

```
{  
[OperationContract]  
void ApproveOrder(int id);  
}
```

You need to ensure that only users with the Manager role can call the ApproveOrder method.

What should you do?

- A. In the method body, check the Rights.PossessProperty property to see if it contains Manager.
- B. Add a PrincipalPermission attribute to the method and set the Roles property to Manager.
- C. Add a SecurityPermission attribute to the method and set the SecurityAction to Demand.
- D. In the method body, create a new instance of WindowsClaimSet. Use the FindClaims method to locate a claimType named Role with a right named Manager.

Correct Answer: B

QUESTION 3

You are developing a Windows Communication Foundation (WCF) service. The service configuration file has a element defined.

You need to ensure that all security audit information, trace logging, and message logging failures are recorded.

Which configuration segment should you add to the element?



- A.
- ```
<sources>
 <source name="System.ServiceModel"
 switchValue="Information, ActivityTracing"
 propagateActivity="true" />
 <source name="System.ServiceModel.MessageLogging"
 propagateActivity="true" />
</sources>
```
- B.
- ```
<sources>
  <source name="System.ServiceModel"
    switchValue="Information, ActivityTracing"
    propagateActivity="true" />
  <source name="System.ServiceModel.MessageLogging"
    propagateActivity="true" />
</sources>
<sharedListeners>
  <add name="xml"
    type="System.Diagnostics.XmlWriterTraceListener"
    initializeData="..." />
</sharedListeners>
```
- C.
- ```
<sources>
 <source name="System.ServiceModel"
 switchValue="Information, ActivityTracing"
 propagateActivity="true">
 <listeners>
 <add name="xml" />
 </listeners>
 </source>
 <source name="System.ServiceModel.MessageLogging"
 propagateActivity="true">
 <listeners>
 <add name="xml" />
 </listeners>
 </source>
</sources>
<sharedListeners>
 <add name="xml"
 type="System.Diagnostics.XmlWriterTraceListener"
 initializeData="_" />
</sharedListeners>
```
- D.
- ```
<sources>
  <source name="System.ServiceModel"
    switchValue="Information, ActivityTracing"
    propagateActivity="true">
    <listeners>
      <add name="xml" />
    </listeners>
  </source>
  <source name="System.ServiceModel.MessageLogging"
    propagateActivity="true">
    <listeners>
      <add name="text" />
    </listeners>
  </source>
</sources>
```





A. B. C. D.

Correct Answer: C

QUESTION 4

You develop a Windows Communication Foundation (WCF) service that interacts with Microsoft Message Queuing (MSMQ).

The service requires sessions. You need to create a custom binding that enables messages sent to the queue to be viewed when you are using a listener tool.

Which binding elements should you use?

- A. textMessageEncoding and msmqTransport in this order
- B. textMessageEncoding and msmqIntegrationTransport in this order
- C. msmqTransport and textMessageEncoding in this order
- D. msmqIntegrationTransport and textMessageEncoding in this order

Correct Answer: A

QUESTION 5

You are developing a Windows Communication Foundation (WCF) client application.

The client application contains the following code.

```
[ServiceContract]
public interface ISocialStatus
{
    [OperationContract]
    [WebInvoke (
        UriTemplate = "/statuses/update.xml?status={text}")]
    void UpdateStatus(string text);
}

public class SocialClient
    : ClientBase<ISocialStatus>, ISocialStatus
{
    ...
}
```



The configuration file contains the following lines.



```
<system.serviceModel>
  <client>
    <endpoint name="SocialClient"
      address="http://contoso.com"
      binding="webHttpBinding"
      contract="SocialApp.ISocialStatus"
      bindingConfiguration="BindingConfig" />
  </client>
  <bindings>
    <webHttpBinding>
      <binding name="BindingConfig">
        ...
      </binding>
    </webHttpBinding>
  </bindings>
</system.serviceModel>
```



You need to ensure that the service is consumed.

Which code segment should you use?

- A. var client = new SocialClient("SocialClient"); client.Endpoint.Behaviors.Add(new WebHttpBehavior());
- B. var client = new SocialClient("SocialClient"); client.Endpoint.Behaviors.Add(new WebScriptEnablingBehavior());
- C. var client = new Social Client ("POST") ; client.Endpoint.Behaviors.Add(new WebHttpBehavior());
- D. var client = new Social Client ("POST"); client.Endpoint.Behaviors.Add(new WebScriptEnablingBehavior());

Correct Answer: A

[70-513 VCE Dumps](#)

[70-513 Practice Test](#)

[70-513 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.