

70-741^{Q&As}

Networking with Windows Server 2016

Pass Microsoft 70-741 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/70-741.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1


HOTSPOT

You have a virtual machine named VM1 that runs Windows Server 2016. VM1 is a Remote Desktop Services (RDS) server.

You need to ensure that only TCP port 3389 can be used to connect to VM1 over the network.

Which command should you run on the Hyper-V host? To answer, select the appropriate options in the answer area.

Hot Area:



Correct Answer:

Answer Area

| Add-VmNetworkAdapterAcl | Inbound |
|---|----------|
| Add-VmNetworkAdapterExtendedAcl | Outbound |
| Set-VmNetworkAdapter | |
| Set-VmNetworkDaparterRoutingDomainMapping | |

Explanation:

References: https://technet.microsoft.com/en-us/library/dn464289.aspx

QUESTION 2

HOTSPOT

Your network contains an Active Directory forest named adatum.com. The forest contains a server named Server1. Server1 has the DFS Namespaces role service installed and is configured as shown in the following exhibit.



| PS C:\> Get-DfsnRoot | -namespace \\Server1.Adatum.com\Name | space1 f | - 12 | |
|--|---|---------------------------------------|----------|--------|
| State Flags Type Path TimeToLiveSec Description NamespacePath TimeToLive GrantAdminAccess PSComputerName CimClass CimInstanceProperties | : Online : {Site Costing, AccessBased Enumer : Standalone : \\Server1.Adatum.com\Namespace1 : 300 : \\Server1.Adatum.com\Namespace1 : 300 : {BUILTIN\Administrators, NT AUTHO : ROOT/Microsoft/Windows/dfsn:MSFT_ | RITY\SYSTE DFSNamespac h, State | ce .} | erties |

\\Server1.adatum.com\namespace1 has a folder target named Folder1. A user named User1 has Full Control share and NTFS permissions to Folder1.

Folder1 contains a file named File1.doc. User1 has only Write NTFS permissions to File1.doc.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

| When you want to provide redundancy for the DFS namespace on Server1, you must [answer choice]. | | | |
|---|---|--|--|
| | implement DFS replication implement Failover Clustering install an additional domain controller | | |
| User1 will be [answer choice]. | | | |
| X | Able to see File1.doc in File Explorer and will be able to open the file | | |
| Geen | Able to see File1.doc in File Explorer but will be prevented from opening the file | | |
| | Prevented from seeing File1.doc in File Explorer but will be able to delete the file | | |

Correct Answer:



| When you want to provide redundancy for the DFS namespace on Server1, you must [answer choice]. | | 7 |
|---|---|----------|
| | implement DFS replication implement Failover Clustering install an additional domain controller | |
| User1 will be [answer choice]. | often I | ľ |
| K | Able to see File1.doc in File Explorer and will be able to open the file | |
| Geen | Able to see File1.doc in File Explorer but will be prevented from opening the file | |
| | Prevented from seeing File1.doc in File Explorer but will be able to delete the file | |

QUESTION 3

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains Windows and non-Windows devices.

You have a DHCP server named Server1 that has an IPv4 scope named Scope1.

You need to prevent a client computer that uses the same name as an existing registration from updating the registration.

What should you do?

- A. From the properties of Scope1, modify the Conflict detection attempts setting.
- B. From the properties of Scope1, configure Name Protection.
- C. From the properties of IPv4, configure the bindings.
- D. From IPv4, create a new filter.
- E. From the properties of Scope1, create an exclusion range.
- F. From IPv4 run the DHCP Policy Configuration Wizard.
- G. From Control Panel, modify the properties of Ethernet.
- H. From Scope1, create a reservation.

Correct Answer: B



QUESTION 4

Your network contains an Active Directory domain named contoso.com that contains a domain controller named DC1. All DNS servers for the network run BIND 10.

Your perimeter network contains a DHCP server named DHCP1 that runs Windows Server 2016. DHCP1 is a member of a workgroup named WORKGROUP. DHCP1 provides IP address leases to guests accessing the Wi-Fi network.

Several engineers access the network remotely by using a VPN connection to a remote access server that runs Windows Server 2016. All of the VPN connections use certificate-based authentication and are subject to access policies in

Network Policy Server (NPS). Certificates are issued by an enterprise certification authority (CA) named CA1.

All Windows computers on the network are activated by using Key Management Service (KMS). On-premises users use Remote Desktop Services (RDS).

Which action can you perform on the network by using IPAM?

- A. Manage the DNS zones on the DNS servers.
- B. Audit logon events on the RDS server.
- C. Audit authentication events from DC1.
- D. Manage activations on the KMS server.
- E. Create DHCP reservations on DHCP1.
- F. Audit certificate enrollment requests on CA1.

Correct Answer: C

https://blogs.technet.microsoft.com/canitpro/2013/08/15/step-by-step-setup-windows-server-2012-ipam-in-your-environment/

QUESTION 5

HOTSPOT

You have a network address translation (NAT) server named NAT1 that has an external IP address of 131.107.50.1 and an internal IP address of 10.0.0.1.

You deploy a new server named Web1 that has an IP address of 10.0.0.211.

A remote server named app.fabrikam.com has an IP address of 131.107.1.232.

You need to make Web1 accessible to app.fabrikam.com through NAT1.

What command should you run from NAT1? To answer, select the appropriate options in the answer area.

Hot Area:





References: https://docs.microsoft.com/en-us/powershell/module/netnat/add-netnatstaticmapping?view=win10-ps

70-741 PDF Dumps

70-741 Study Guide

70-741 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.