



700-821^{Q&As}

Cisco IoT Essentials for System Engineers

Pass Cisco 700-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/700-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which industrial router platform has Battery Backup Unit (BBU) module?

- A. IR8340
- B. IR1101
- C. IR8140H
- D. IR1800 Series

Correct Answer: C

QUESTION 2

Which two pieces of information are needed to onboard a gateway device using the IoT Operations Dashboard? (Choose two.)

- A. the Product Identifier (PID) / Product Family
- B. By the Media Access Control (MAC) Address
- C. the Integrated Operating System (IOS) Version
- D. the Purchase Order (PO) Number
- E. the Serial Number

Correct Answer: AE

QUESTION 3

Which two IE switch types support the Cisco Cyber Vision sensor running on IOx? (Choose two.)

- A. IE9300 Series
- B. IE3400 and IE3300-10G
- C. IE3200 and IE3300-1G
- D. IE4010 and IE5000
- E. IE2000 and IE4000

Correct Answer: BC

QUESTION 4



Where is cellular usage found in the IoT Operations Dashboard device menu?

- A. Monitoring
- B. Interface
- C. Troubleshooting
- D. Summary

Correct Answer: A

QUESTION 5

How are the power inputs labeled A and B of IE3400 used?

- A. Both inputs are connected, and the power budget is the sum of both power inputs.
- B. Both inputs are connected: only one is active, and the other is on standby.
- C. It can only wire one of the power inputs.
- D. Both inputs are connected and used to daisy chain to power another switch.

Correct Answer: B

[Latest 700-821 Dumps](#)

[700-821 VCE Dumps](#)

[700-821 Practice Test](#)