

# 700-905<sup>Q&As</sup>

Cisco HyperFlex for Systems Engineers

# Pass Cisco 700-905 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/700-905.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.geekcert.com/700-905.html

2024 Latest geekcert 700-905 PDF and VCE dumps Download

#### **QUESTION 1**

HyperFlex virtual servers differ from regular servers in which two key areas? (Choose two.)

- A. NVMe: Regular servers do not support NVMe drives for high availability.
- B. No RAID is required to consolidate disks into a shared data platform.
- C. CVM: Virtual appliance, which performs reading/writing, caching, deduplication, and compression.
- D. SP: UCS Service Profiles are used to delineate MAC address pools from upstream networks.
- E. CCC: Cisco Cloud Center is used for multi-cloud integration and seamless deployment.

Correct Answer: BC

#### **QUESTION 2**

HyperFlex is tightly integrated Into the Cisco portfolio, allowing which two powerful service integrations\\'\\' (Choose two)

- A. Cloud mobility: CloudCenter enables workload mobility between HyperFlex and public and private clouds, Including private cloud self-service Infrastructure as a service (laaS) capabilities
- B. Application centric infrastructure: ACI enables faster deployment via End-Point Group integration of the HyperFlex clusters into existing application environments
- C. Multi-cloud integration Workloads are able to seamlessly migrate to platforms such as Amazon Web Services: Microsoft Azure and Google Cloud Platform
- D. On-premise container platform: Cisco Container Platform automates repetitive tasks, such as installing Kubernetes and Docker, installing analytics tools, creating clusters, load balancing, curatmg the OS. and even updating the distribution
- E. Data Center Network Monitor: This management platform enables administrators to monitor storage In the HyperFlex solution and provide real-time storage performance for the HyperFlex cluster

Correct Answer: AD

**QUESTION 3** 

Which two steps should be performed before installing HyperFlex? (Choose two.)

- A. Determine and download recommended hypervisor
- B. Determine and download recommended VCenter required



### https://www.geekcert.com/700-905.html

2024 Latest geekcert 700-905 PDF and VCE dumps Download

- C. Download service profile templates
- D. Determine and download recommended UCS firmware required.
- E. Determine and download virtual machine OS\\' required.

Correct Answer: AD

#### **QUESTION 4**

Which two statements on Replication Factors are valid? (Choose two.)

- A. RF2 has 100% better protection of data while using 33% more space and is recommended.
- B. RF3 has 100% better protection of data while using 33% more space and is recommended.
- C. LAZ can increase RTO for 16+ node clusters.
- D. When performing rolling upgrades, the upgraded node is down for maintenance, stretching RF2 to the absolute limit.
- E. LAZ can decrease fault tolerance of S+ node clusters to less than 4

Correct Answer: BD

#### **QUESTION 5**

How many vCPUs does the HXDP controller VM require?

- A. 8
- B. 6
- C. 2
- D. 4

Correct Answer: A

700-905 PDF Dumps

700-905 Practice Test

700-905 Braindumps