



701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Given the following Kubernetes deployment:

NAME DESIRED CURRENT UP-TO-DATE AVAILABLE AGE

myapp 2 2 2 0 17s

Which command scales the application to five containers?

- A. Kubectl edit deployment/myapp replicas=5
- B. Kubectl deployment myapp replicas=5
- C. Kubectl scale deployment/myapp -replicas=5
- D. Kubectl replicate deployment/myapp +3
- E. Kubectl clone deployment/myapp 3

Correct Answer: C

QUESTION 2

When can an SQL injection attack happen?

- A. When strings of arbitrary length are passed to a database so they can exceed the length of data type or data field.
- B. When characters or string received from an external source are passed unchanged to a database so they can include SQL.
- C. When SQL statemens are stored as database content and might be returned unchanged to a client querying the database.
- D. When database queries of an application are redirected to another server which then receives confidential information and might return manipulated data.
- E. When an API which causes writes to the database can be triggered remotely without rate limits or other restrictions.

Correct Answer: B

QUESTION 3

How does Vagrant run virtual machines?

- A. Vagrant uses a vagrant-specific hypervisor called VagrantVM.
- B. Vagrant has to be run within a running virtual machine which is not controlled by Vagrant.



- C. Vagrant ships with an embedded version of VirtualBox.
- D. Vagrant uses so-called providers which control external hypervisors such as VirtualBox.
- E. Vagrant generates virtual machine images but does not provide a mechanism to run them.

Correct Answer: D

QUESTION 4

Using the Ansible cron module a crontab entry should be created for example.sh which runs once after reboot. Which of the following is a valid Ansible task for this purpose?

- A. `–cron: Reboot: " /usr/local/bin/example.sh`
- B. `–cron: special: reboot crontab: "/usr/local/bin/example.sh`
- C. `–cron: crontab: "reboot/* * * * * root /usr/local/bin/example.sh`
- D. `–cron: uptime: */0 task: "/usr/local/bin/example.sh"`
- E. `–cron: special_time: reboot job: "/usr/local/bin/example.sh`

Correct Answer: C

QUESTION 5

What is the purpose of the command `vagrant init`?

- A. It installs Vagrant on a Linux host.
- B. It creates a Vagrant configuration file.
- C. It downloads a Vagrant box.
- D. It starts a Vagrant box.
- E. It executes a provisioning tool in a running box.

Correct Answer: B