



701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How does Prometheus gather information about monitored hosts and services?

- A. It implements the ICMP and SNMP protocols to ping and query remote services.
- B. It opens a webhook where monitored applications have to submit various metrics.
- C. It uses HTTP to retrieve JSON encoded metrics from the monitored objects.
- D. It queries a relational database for metrics written to the database by monitored applications.
- E. It runs scripts on the Prometheus server which perform tests and return various metrics.

Correct Answer: C

<https://dzone.com/articles/monitoring-with-prometheus>

QUESTION 2

Which of the following statements is true about load balancers?

- A. Load balancers are a security risk because they obfuscate the origin of connections.
- B. Load balancer help to improve the availability and scalability of a service.
- C. Load balancers are a single point of failure because they cannot be deployed redundantly.
- D. Load balancer require access to private keys in order to be able to forward HTTPS traffic.
- E. Load balancers cannot use connection content, such as HTTP cookies, to route traffic.

Correct Answer: B

QUESTION 3

What is the purpose of the command vagrant init?

- A. It installs Vagrant on a Linux host.
- B. It creates a Vagrant configuration file.
- C. It downloads a Vagrant box.
- D. It starts a Vagrant box.
- E. It executes a provisioning tool in a running box.

Correct Answer: B



QUESTION 4

What has to be done to configure Filebeat to submit log information to Logstash? (Choose TWO correct answers)

- A. Replace the input section of the Logstash configuration by a filebeat section.
- B. Add an output.logstash section to the Filebeat configuration and specify the Logstash server in that section's hosts attribute.
- C. Install Filebeat on the Logstash server and allow the Linux user running the Filebeat daemon to login to the remote host via SSH without using a password.
- D. Add a beats section to the input section of the Logstash configuration.
- E. Add the IP address of the Filebeat node to the option accept option in the section acl of the Logstash input configuration.

Correct Answer: BD

QUESTION 5

Which of the following statements are true about an object storage system as OpenStack Swift? (Choose TWO correct answers)

- A. Objects can be associated with CORS headers which are served to a client retrieving the object.
- B. Object names are not allowed to contain the / character because all objects are kept in a flat hierarchy.
- C. Objects with a name ending in .htaccess are parsed as configuration files to limit access to other objects.
- D. Objects are accessible via HTTP and, given appropriate permissions, can be embedded in a web site.
- E. Objects flagged as executable can contain script code which is run on the object store when the object is accessed.

Correct Answer: BD

[Latest 701-100 Dumps](#)

[701-100 PDF Dumps](#)

[701-100 Practice Test](#)