VCE & PDF
GeekCert.com

701-100^{Q&As}

701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/701-100.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

Consider the following Kubernetes Deployment:

NAME	DESIRED	CURRENT	UP-TO-DATE	AVAILABLE	AGE
myapp	5	5	5	5	25m

With the ReplicaSet:

NAME	DESIRED	CURRENT	READY	AGE
myapp-2706294940	5	5	5	25m

And the Pods:

NAME	READY	STATUS	RESTARTS	AGE
myapp-2706294940-bzxmp	1/1	Running	0	20m
myapp-2706294940-c2kt1	1/1	Running	0	31s
myapp-2706294940-d556m	1/1	Running	0	20m
myapp-2706294940-1v1q2	1/1	Running	0	31s
myapp-2706294940-pwm8g	1/1	Running	0	31s

What happens if one of the Pods is terminated with the command kubect1 pod delete?

A. The remaining Pods are stopped and the Deployment switches to the state Failed.

B. The number of replicas in the ReplicaSet is changed to 4.

C. The ReplicaSet immediately starts a new replacement Pod.

D. The remaining Pods are stopped and a new ReplicaSet is started.

E. The Deployment switches to the state Degraded.

Correct Answer: C

QUESTION 2

How does Packer interact with system images?

A. Packer creates an instance based on a source image, prepares the instance through a network connection and bundles the resulting.

B. Packer has to be installed within the target image and is executed during the image\\'s first boot in order to execute preparation tasks.

C. Packer installs a client within the image which has to be run periodically via cron in order to retrieve the latest template from the Packer server and appy it locally.

D. Packer downloads and extracts an image in order to make changes to the image\\'s file system, repack the modified image and upload it again.

E. Packer periodically connects through the network to the Packer daemons of all running Packer images in order to re-apply the wholw template to the running instance.

Correct Answer: A

QUESTION 3

An online shop needs to store information about clients and orders. A list of fixed properties for clients and orders exists. The data storage should enforce specific data types on these properties and ensure that each order is associated with an existing client.

Which of the following cloud services is capable of fulfilling these requirements?

A. An in-memory database like memcached.

B. An object store like OpenStack Swift.

C. A messaging service like OpenStack Zaqar.

D. A NoSQL database like MongoDB.

E. A relational database like MariaDB.

Correct Answer: B

QUESTION 4

Which sub command of docker volumen deletes all volumes which are not associated with a container? (Specify ONLY the sub command without any path or parameterr)

A. Docker does not have a specific sub-command to delete all volumes that are not associated with a container. To delete volumes that are not associated with a container, you can use the docker volume ls command to list all volumes and then manually identify the volumes that are not associated with any container. Once identified, you can use the docker volume rm command followed by the volume name or ID to delete each volume individually.

Correct Answer: A

QUESTION 5

Which of the following kinds of data can cloud-init process directly from user-data? (Choose THREE correct answers)

A. ISO images to boot from

B. Cloud-config declarations in YAML

C. Base64-encoded binary files to execute

D. Shell scripts to execute

E. List of URLs to import

Correct Answer: BCD

701-100 Practice Test   701-100 Exam Questions   701-100 Braindumps