



701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When can an SQL injection attack happen?

- A. When strings of arbitrary length are passed to a database so they can exceed the length of data type or data field.
- B. When characters or string received from an external source are passed unchanged to a database so they can include SQL.
- C. When SQL statements are stored as database content and might be returned unchanged to a client querying the database.
- D. When database queries of an application are redirected to another server which then receives confidential information and might return manipulated data.
- E. When an API which causes writes to the database can be triggered remotely without rate limits or other restrictions.

Correct Answer: B

QUESTION 2

Which of the following values would be valid in the FROM statement in a Dockerfile?

- A. file: /tmp/ubuntu/Dockerfile
- B. registry:ubuntu:xenial
- C. docker://ubuntu:xenial
- D. ubuntu:xenial
- E. http://docker.example.com/images/ubuntu-xenial.iso

Correct Answer: D

QUESTION 3

What has to be done to configure Filebeat to submit log information to Logstash? (Choose TWO correct answers)

- A. Replace the input section of the Logstash configuration by a filebeat section.
- B. Add an output.logstash section to the Filebeat configuration and specify the Logstash server in that section's hosts attribute.
- C. Install Filebeat on the Logstash server and allow the Linux user running the Filebeat daemon to login to the remote host via SSH without using a password.
- D. Add a beats section to the input section of the Logstash configuration.
- E. Add the IP address of the Filebeat node to the option accept option in the section acl of the Logstash input configuration.



Correct Answer: BD

QUESTION 4

Which of the following statements are true when using continuous delivery for an application which is subject to strong compliance requirements, such as an SLA? (Choose TWO correct answers)

- A. Given a sufficient number of test, continuous deployment has no implications on the compliance of an application.
- B. The deployment to production should be subject to manual review and approval.
- C. Continuous delivery limits the risks associated with deployment by using tested automatic procedures.
- D. Continuous delivery increases the risks associated with deployment and is not suited for compliance critical applications.
- E. The deployment and release of software does not affect the compliance of an application in general.

Correct Answer: BC

QUESTION 5

The file myapp.yml exists with the following content:

```
version: "3" services: frontend: image: frontend ports:
```

```
"80:80" backend: image: backend deploy: replicas: 2
```

Given that file was successfully processed by `docker stack deploy myapp -compose--file myapp.yml`, which of the following objects might be created? (Choose THREE correct answers)

- A. An overlay network called myapp_default.
- B. A node called myapp_frontend.
- C. A container called myapp_backend.2.ymia7v7of5g02j3j3i1btt8z.
- D. A volume called myapp_frontend.1.
- E. A service called myapp_frontend.

Correct Answer: ABD
