



71300X^{Q&As}

Avaya Aura Communication Applications Integration Exam

Pass Avaya 71300X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/71300x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You need to connect Avaya Breeze™ platform that is hosting Avaya Aura Presence Services Snap-in with Avaya Aura Session Manager (SM).

Which three are needed? (Choose three.)

- A. ports UDP 5060 and TLS 5061
- B. one Entity Link from SM to Avaya Aura Presence Services Snap-in
- C. one Entity Link from SM to Avaya Breeze™
- D. TLS 5061 and TLS 5062
- E. ports TCP 5060 and UDP 5060

Correct Answer: BCD

BD: Administering Entity Link between Presence Services Cluster SIP Entity and Session Manager Procedure

1.

On the System Manager web console, navigate to Elements > Routing > Entity Links.

2.

In the Name field, enter a name for Entity Link.

3.

In the SIP Entity 1 field, select the Session Manager instance.

4.

In the Protocol field, select TLS.

5.

In the Port field, type 5062. Note: Note that this port number cannot be the same as the port number administered in "Administering Entity Link between Avaya Breeze and Session Manager". CD: Administering Entity Link between Avaya Breeze and Session Manager. About this task Create an Entity Link to connect Session Manager to Avaya Breeze. You must administer separate Entity Links for Avaya Breeze servers in order to open SIP listeners on the designated ports. Session Manager requires a Listen Port with the Listen Port as 5061, Protocol as TLS, and Default Domain as the login domain of endpoint devices. Without this, PPM will fail for SIP endpoints. References: Avaya Aura Presence Services Snap-in Reference. Release 7.0.1 (December 2016), pages 25-26
<https://downloads.avaya.com/css/P8/documents/101013646>

QUESTION 2


The provisioning script automatically runs as part of the first boot-up of the Avaya Session Border Controller for Enterprise (SBCE). During this process you assign the Management IP address to the SBCE. You browse to the Element Management System (EMS) to continue to install the SBCE. On the System Management > Devices web



page, which status does the SBCE display before the Install link is clicked?

- A. Ready
- B. Provisioned
- C. Registered
- D. Commissioned

Correct Answer: C



References: Avaya Aura Session Border Controller Enterprise (2012), page 201

QUESTION 3

In the Avaya Session Border Controller for Enterprise (SBCE), before a traffic carrying Network Interface (A1 or B1) can be pinged, to which state do you have to toggle the status on Device Specific Settings > Network Management / Interfaces?

- A. Enabled
- B. In-Service
- C. Accept Service
- D. Active



Correct Answer: A

Commission the SBC--SBC Configuration 3. Click the Toggle link for both the A1 and the B1 interfaces. The Administrative Status for both A1 and B1 changes to Enabled:

Session Border Controller for Enterprise

Network Management: SBC-13

Devices: SBC-13

Network Configuration

Modifications or deletions of an IP address or its associated data require an application restart before taking effect. Application restarts can be issued from System Management.

A1 Netmask: 255.255.0.0 A2 Netmask: B1 Netmask: 255.255.0.0 B2 Netmask:

Add Save Clear

IP Address	Public IP	Gateway	Interface	
172.16.13.50		172.16.255.254	A1	Delete
10.10.13.1		10.10.255.254	B1	Delete

Session Border Controller for Enterprise

Network Management: SBC-13

Devices: SBC-13

Network Configuration Interface Configuration

Name	Administrative Status	
A1	Disabled	Toggle
A2	Disabled	Toggle
B1	Disabled	Toggle
B2	Disabled	Toggle

Network Management: SBC-13

Devices: SBC-13

Network Configuration Interface Configuration

Name	Administrative Status	
A1	Enabled	Toggle
A2	Disabled	Toggle
B1	Enabled	Toggle
B2	Disabled	Toggle



References: Avaya Aura Session Border Controller Enterprise Implementation and Maintenance (2012), page 203

QUESTION 4

Which statement about WebRTC and Media Resources is true?

- A. WebRTC does not use any Media Resources since it only handles Text-Chat sessions.
- B. WebRTC relies on the Avaya Aura Media Server (AAMS) to convert the WebRTC media stream to a SIP media stream.
- C. WebRTC uses its own embedded proprietary technology to handle and process Media Packets.
- D. WebRTC uses Media Resources from a Hard-Based Media Gateway controlled by Avaya Aura Communication Manager (CM).

Correct Answer: B

The Avaya Media Server can translate WebRTC media into a SIP media stream. References: <http://www.avaya.com/blogs/archives/2014/10/an-introduction-to-the-avaya-webrtc-snap-in.html>

QUESTION 5

When looking at Avaya Aura System Manager ?Hom>t; Service>t; Replication, what is the name of the replica group representing the EDP / Avaya Breeze™ instances?

- A. CollaborationEnvironment_7.0
- B. Avaya Breeze™_7.0
- C. CollaborationEnvironment_3.1
- D. Engagement Development Platform EDP_7.0

Correct Answer: C

Confirming that Avaya Breeze successfully replicates with System Manager Procedure

1.

On the System Manager web console, navigate to Services > Replication.

2.

In Replica Group column, click CollaborationEnvironment_3.1.

3.

In Replica Node Host Name column, locate your newly-deployed Avaya Breeze.

4.

After 2 ?15 minutes, verify that the status of the Synchronization Status field is green/ Synchronized. If not, see



Repairing replication between Avaya Breeze™ and System Manager References: Avaya Aura Presence Services Snap-in Reference, Release 7.0.1, (December 2016), page <https://downloads.avaya.com/css/P8/documents/101013646>

[71300X VCE Dumps](#)

[71300X Practice Test](#)

[71300X Braindumps](#)