



71800X^{Q&As}

71800X - Avaya IX Messaging Implementation and Maintenance

Pass Avaya 71800X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/71800x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The number of Content Sync Engine (CSE) Servers required depends upon the number of advanced users that will be working on the system. What kind of server is required for 2,500 Advanced users, in a High Availability solution?

- A. CSE Running on CS
- B. CSE Running on Backup Server
- C. CSE Running on Voice Server
- D. A dedicated CSE Server

Correct Answer: D

QUESTION 2

In Avaya IX™ Messaging, it is necessary to share the UC folder, so that all of the programs and users have the required access. Which two user accounts require full permissions to the UC folder? (Choose two.)

- A. DCOM domain user with admin rights on the local machine
- B. DCOM domain user without admin rights on the local machine
- C. UC\IISUser
- D. local Administrator

Correct Answer: A

QUESTION 3

Which Anti-virus software is validated by Avaya IX™ Messaging release?

- A. Norton Anti-virus Corporate Edition
- B. McAfee VirusScan
- C. BitDefender
- D. Microsoft Defender

Correct Answer: B

QUESTION 4

In Avaya IX™ Messaging High Availability, which server conducts the Database Management operation?

- A. Consolidated Server



- B. Mobilink Server
- C. Web or TSE Server
- D. Primary Server

Correct Answer: D

QUESTION 5

Which three requirements must be met for an Avaya IXTM Messaging High Availability installation? (Choose three.)

- A. Maximum round-trip latency between the voice servers and the PBX must not exceed 200 milliseconds. Optimal round-trip latency is less than 150 milliseconds.
- B. All servers must be part of the same Windows domain.
- C. All servers must have a minimum 1 Gb/s connection to the network.
- D. Maximum round-trip latency between the voice servers and the consolidated servers must not be more than 50 milliseconds.
- E. The path of connectivity must have 2 Mb/s guaranteed bandwidth with no steady-state congestion.

Correct Answer: BCE

[71800X Practice Test](#)

[71800X Exam Questions](#)

[71800X Braindumps](#)