



# 72200X<sup>Q&As</sup>

Avaya Aura Core Components Support Exam

**Pass Avaya 72200X Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/72200x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are configuring Shared Bandwidth Management for Call Admission Control (CAC) between Communication Manager (CM) and Session Manager (SM).

Which two tasks must you perform to achieve this? (Choose two.)

- A. Specify the shared bandwidth limit on the Communication Manager (SIP) Entity screen
- B. Create Network Region Groups (NRG) in Communication Manager
- C. Create Locations in Session Manager
- D. Create a Bandwidth Share Group in SM
- E. Match the Network Region used for the SIP users with the Domain in SM

Correct Answer: AD

---

### QUESTION 2

After an Avaya Aura® Communication Manager (CM) upgrade, a customer called Avaya support because their SIP telephones were unable to login. Support was able to confirm that the telephones had not been upgraded.

Which pre-implementation step was omitted?

- A. Provide accurate licensing specification.
- B. Verify version installed is compatible with existing versions.
- C. Test all third-party equipment and software.
- D. Access support.avaya.com to verify customer systems compatibility.

Correct Answer: B

---

### QUESTION 3

Which two statements regarding the core architecture in the Avaya Aura® 7 solution are true? (Choose two.)

- A. SIP trunks can only be configured on Avaya Aura® Session Manager (SM).
- B. SIP user Agents register with Avaya Aura® Session Manager (SM).
- C. SIP User Agents can register to Avaya Aura® Communication Manager (CM) or Avaya Aura® Session Manager (SM).
- D. Avaya Aura® Media Server (AAMS) cannot connect to Avaya Aura® Communication Manager (CM) without routing via Avaya Aura® Session Manager (SM).
- E. Avaya Aura® Media Server (AAMS) connects directly to Avaya Aura® Communication Manager (CM) using SIP.



---

Correct Answer: BE

---

#### QUESTION 4

Which statement about Interfaces and IP addresses on an Avaya Session Border Controller for Enterprise (SBCE) used for SIP-Trunking and Remote Worker services is true?

- A. SIP Trunking and Remote Worker services can use different IP addresses configured on the same Interface.
- B. SIP-Trunking and Remote Worker services can share the same IP address.
- C. Only one IP-address should be configured per interface.
- D. SIP-Trunking and Remote Worker services cannot run on the same SBCE.

Correct Answer: A

---

#### QUESTION 5

You are preparing to enable EASG to provide Avaya Services local and remote access for performing support and system optimization.

What are the two methods to enable EASG during the implementation? (Choose two.)

- A. During the OVA deployment
- B. Using the CLI command EASGManage after deployment
- C. Open a ticket to Avaya services and request to enable it
- D. Using SMGR web GUI, check the "Enable EASG" check box on the desired component in the Inventory/Manage Elements screen
- E. Using the SDM after the deployment

Correct Answer: BD

[Latest 72200X Dumps](#)

[72200X VCE Dumps](#)

[72200X Exam Questions](#)