



# 7230X<sup>Q&As</sup>

Avaya Aura® Communication Applications Support Exam

## Pass Avaya 7230X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/7230x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In Avaya Aura® 7 the Avaya Session Border Controller for Enterprise (SBCE) license is installed on a System Manager (SMGR) WebLM server. The EMS points to the WebLM server using a URL.

What is the correct syntax of the URL where 135.xxx.xxx.xxx. is the IP address of the SMGR WebLM server?

- A. <https://135.xx.xxx.xx:8443/WebLM/LicenseServer>
- B. <https://135.xx.xxx.xx:8080/LicenseServer>
- C. <https://135.xx.xxx.xx:52233/WebLM/LicenseServer>
- D. <https://135.xx.xxx.xx/WebLM>

Correct Answer: C

---

### QUESTION 2

Which statement about Avaya Tier 2/Business Partners is true?

- A. They immediately escalate to Tier 3 as issue is encountered.
- B. They describe the problem to Tier 3 in an escalation ticket and Tier 3 isolates and resolves the issue.
- C. They isolate issue, resolve issue then escalate to Tier 3 for corrective action.
- D. They isolate the issue, and if no root cause is found, escalate to Tier 3 to resolve the issue.

Correct Answer: D

---

### QUESTION 3

Which statement about Network Routing Policies in Avaya Aura® Session Manager (SM) is true?

- A. A dial pattern and routing policy are necessary in SM to call from an H323 device to a Basic/Native SIP device (without an Avaya Aura® Communication Manager profile).
- B. A dial pattern and routing policy are necessary in SM to call from a Basic/Native SIP device (without a CM profile) to an H323 device on Avaya Aura® Communication Manager (CM).
- C. A dial pattern and routing policy are necessary in SM to call from an H323 device to an AST device on the same Avaya Aura® Communication Manager (CM).
- D. A dial pattern and routing policy are necessary in SM to call from an AST device to an H323 device on the same Avaya Aura® Communication Manager (CM).



Correct Answer: A

---

#### QUESTION 4

In an Avaya Aura® Presence Services (PS) message flow, which type of message does a Remote Worker first send to PS?

- A. NOTIFY
- B. SUBSCRIBE
- C. OPTIONS
- D. REGISTER

Correct Answer: D

---

#### QUESTION 5

Which statement about Avaya Session Border Controller (SBC) is true?

- A. The Avaya SBC secures and authenticates Integrated Services Digital network (ISDN) calls placed to/ from the Public Switched Telephone Network (PSTN).
- B. The Avaya SBC is the enabling and secure pivot point for SIP Communications in and out of the Enterprise.
- C. The Avaya SBC is a service within System Manager (SMGR) to support deployments.
- D. The Avaya SBC is the enabling and secure pivot point for H.323 Communications in and out of the Enterprise.

Correct Answer: B

[Latest 7230X Dumps](#)

[7230X VCE Dumps](#)

[7230X Study Guide](#)