



75940X^{Q&As}

Avaya Converged Platform Integration

Pass Avaya 75940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/75940x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The Storage dashlet contains a view of the status of the Host and Services related to the Storage. By default, in which two places can this dashlet be viewed in Avaya Orchestrator? (Choose two.)

- A. The Service Status View
- B. The Home Dashboard
- C. The Host Status View
- D. The Storage Dashboard
- E. The Rack View

Correct Answer: AB

Reference: <https://downloads.avaya.com/css/P8/documents/101061680>

QUESTION 2

Aside from the difference in the depth of the enclosure, what other difference is there between the 48 Inch Model and 42 Inch Model of the ACP 4200 Avaya-branded Enclosure?

- A. There is no other difference between the 48 Inch Model and 42 Inch Model.
- B. The 48 Inch Model has a higher maximum wattage capacity compared to the 42 Inch Model.
- C. The 48 Inch Model has a higher maximum weight compared to the 42 Inch Model.
- D. The 48 Inch Model is only available in Grey while the 42 Inch Model is only available in Black.

Correct Answer: B

Reference <https://downloads.avaya.com/css/P8/documents/101054952> (15)

QUESTION 3

Refer to the exhibit.



	A	B	C	D	E	F	G	H	I
	Build Code	Assembled Units	From Device RMU/Port	Connects to Unit	To Switch RMU/Port				
2									
1452	2D E3/S/G/GS	Gateway - 1	E5	VSP4K1	P1	1 - P1	G4501 - E5	10	Gray
1454	2D E3/S/G/GS	VSP 4800 - 2	P3	VSP4K1	P3	1 - P3	4k2 - P3	10	Gray
1455	2D E3/S/G/GS	VSP 4800 - 2	P4	VSP4K1	P4	1 - P4	4k2 - P4	10	Gray
1456	2D E3/S/G/GS	VSP 4800 - 2	P5	VSP4K1	P5	1 - P5	4k2 - P5	10	Gray
1457	2D E3/S/G/GS	VSP 4800 - 2	P6	VSP4K1	P6	1 - P6	4k2 - P6	10	Gray
1458	2D E3/S/G/GS	VSP 4800 - 2	P7	VSP4K1	P7	1 - P7	4k2 - P7	10	Gray
1459	2D E3/S/G/GS	VSP 4800 - 2	P8	VSP4K1	P8	1 - P8	4k2 - P8	10	Gray
1460	2D E3/S/G/GS	VSP 4800 - 2	P6	VSP4K1	P9	1 - P9	4k2 - P9	10	Gray
1461	2D E3/S/G/GS	VSP 4800 - 2	P10	VSP4K1	P10	1 - P10	4k2 - P10	10	Gray
1462	2D E3/S/G/GS	Server ACR - 1	N2	VSP4K1	P18	1 - P18	SVR01 - N2	15	Gray
1463	2D E3/S/G/GS	Server ACR - 2	N2	VSP4K1	P19	1 - P19	SVR02 - N2	15	Gray
1469	2D E3/S/G/GS	Server ACR - 1	N0	VSP4K1	P26	1 - P26	SVR01 - N0	15	Black
1470	2D E3/S/G/GS	Server ACR - 2	N0	VSP4K1	P27	1 - P27	SVR02 - N0	15	Black
1476	2D E3/S/G/GS	Server ACR - 1	IMM	VSP4K1	P35	1 - P35	SVR01 - IMM	15	Black
1482	2D E3/S/G/GS	EMC Storage	SPA LAN	VSP4K1	P43	1 - P43	VNX - SPA LAN	15	Black
1485	2D E3/S/G/GS	EMC Storage	SPA P0	VSP4K1	P50	1 - P50	VNX - SPA P0	5M	Aqua
1486	2D E3/S/G/GS	Gateway - 1	E6	VSP4K2	P1	2 - P1	G4501 - E6	10	Gray
1488	2D E3/S/G/GS	VSP 4800 - 1	P3	VSP4K2	P3	2 - P3	4k1 - P3	10	Gray
1489	2D E3/S/G/GS	VSP 4800 - 1	P4	VSP4K2	P4	2 - P4	4k1 - P4	10	Gray
<div> <div>◀ ▶ ...</div> <div>Switch Wiring</div> <div>Power Cord Wiring</div> <div>Serial Numbers</div> <div>Software Versions</div> <div>Licenses</div> <div>Calc</div> <div>Customer Questionnaire</div> <div>Network Data</div> </div>									

An Administrator notices that a Service Status Warning is being received by Avaya Orchestrator indicating that port 27 on VSP 4850-1 is down.

Based on the contents of the Customer and Network Lifecycle Workbook in the exhibit, which equipment is connected to this port?

- A. VSP4K1, port 27
- B. Server/ACR-2, Interface NO
- C. Server/ACR-1, Interface NO
- D. VSP4K1, Port 26

Correct Answer: A

QUESTION 4

The customer's networking team is considering connectivity options to the ACP 4200.

When would the ACP 4200 use Fabric Connect for network connectivity to the customer network?

- A. When the customer network uses stackable switches.




- B. When the customer network uses routers or switches that have an integrated switch fabric.
- C. When the customer network uses Extreme Networks VSP switches.
- D. When the customer network uses Cisco routers with VRRP.

Correct Answer: C

Reference: <https://www.extremenetworks.com/solution/fabric-connect/>

QUESTION 5

Refer to the exhibit.



An administrator navigates to the Avaya Orchestrator link shown in the exhibit. What would the Administrator be able to



monitor here?

- A. A list of Services with status of Warning or Critical.
- B. A list of Services with status of OK.
- C. A list of Services regardless of status.
- D. A list of Services which have additional details.

Correct Answer: D

Reference: <https://downloads.avaya.com/css/P8/documents/101061680>

[Latest 75940X Dumps](#)

[75940X Practice Test](#)

[75940X Study Guide](#)